JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class InterruptedIOException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.io.IOException
        java.io.InterruptedIOException

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

SocketTimeoutException

```
public class InterruptedIOException
extends IOException
```

Signals that an I/O operation has been interrupted. An `InterruptedIOException` is thrown to indicate that an input or output transfer has been terminated because the thread performing it was interrupted. The field `bytesTransferred` indicates how many bytes were successfully transferred before the interruption occurred.

Since:

1.0

See Also:

`InputStream`, `OutputStream`, `Thread.interrupt()`, Serialized Form

Field Summary

Fields

Modifier and Type	Field	Description
`int`	**`bytesTransferred`**	Reports how many bytes had been transferred as part of the I/O operation before it was interrupted.

Constructor Summary

Constructors

Constructor	Description
`InterruptedIOException`()	

	Constructs an `InterruptedIOException` with `null` as its error detail message.
`InterruptedIOException``(String s)`	Constructs an `InterruptedIOException` with the specified detail message.

Method Summary

Methods declared in class Throwable

`addSuppressed`, `fillInStackTrace`, `getCause`, `getLocalizedMessage`, `getMessage`, `getStackTrace`, `getSuppressed`, `initCause`, `printStackTrace`, `printStackTrace`, `printStackTrace`, `setStackTrace`, `toString`

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Field Details

bytesTransferred

```
public int bytesTransferred
```

Reports how many bytes had been transferred as part of the I/O operation before it was interrupted.

Constructor Details

InterruptedIOException

```
public InterruptedIOException()
```

Constructs an `InterruptedIOException` with `null` as its error detail message.

InterruptedIOException

```
public InterruptedIOException(String s)
```

Constructs an `InterruptedIOException` with the specified detail message. The string `s` can be retrieved later by the `Throwable.getMessage()` method of class `java.lang.Throwable`.

Parameters:

`s` - the detail message.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.