JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class SyncFailedException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.io.IOException
        java.io.SyncFailedException

All Implemented Interfaces:

Serializable

```
public class SyncFailedException
extends IOException
```

Signals that a sync operation has failed.

Since:

1.1

See Also:

FileDescriptor.sync(), IOException, Serialized Form

Constructor Summary

Constructors

Constructor	Description
`SyncFailedException(String desc)`	Constructs an SyncFailedException with a detail message.

Method Summary

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Details

SyncFailedException

```
public SyncFailedException(String desc)
```

Constructs an SyncFailedException with a detail message. A detail message is a String that describes this particular exception.

Parameters:

`desc` - a String describing the exception.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.