JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class BootstrapMethodError

java.lang.Object
  java.lang.Throwable
    java.lang.Error
      java.lang.LinkageError
        java.lang.BootstrapMethodError

All Implemented Interfaces:

Serializable

```
public class BootstrapMethodError
extends LinkageError
```

Thrown to indicate that an `invokedynamic` instruction or a dynamic constant failed to resolve its bootstrap method and arguments, or for `invokedynamic` instruction the bootstrap method has failed to provide a call site with a target of the correct method type, or for a dynamic constant the bootstrap method has failed to provide a constant value of the required type.

Since:

1.7

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`BootstrapMethodError()`	Constructs a `BootstrapMethodError` with no detail message.
`BootstrapMethodError(String s)`	Constructs a `BootstrapMethodError` with the specified detail message.
`BootstrapMethodError(String s, Throwable cause)`	Constructs a `BootstrapMethodError` with the specified detail message and cause.
`BootstrapMethodError (Throwable cause)`	Constructs a `BootstrapMethodError` with the specified cause.

Method Summary

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

BootstrapMethodError

```
public BootstrapMethodError()
```

Constructs a `BootstrapMethodError` with no detail message.

BootstrapMethodError

```
public BootstrapMethodError(String s)
```

Constructs a `BootstrapMethodError` with the specified detail message.

Parameters:

`s` - the detail message.

BootstrapMethodError

```
public BootstrapMethodError(String s,
                            Throwable cause)
```

Constructs a `BootstrapMethodError` with the specified detail message and cause.

Parameters:

`s` - the detail message.

`cause` - the cause, may be `null`.

BootstrapMethodError

```
public BootstrapMethodError(Throwable cause)
```

Constructs a `BootstrapMethodError` with the specified cause.

Parameters:

`cause` - the cause, may be `null`.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.