JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class SecurityManager

java.lang.Object
    java.lang.SecurityManager

Direct Known Subclasses:

RMISecurityManager

```
@Deprecated(since="17",
            forRemoval=true)
public class SecurityManager
extends Object
```

Deprecated, for removal: This API element is subject to removal in a future version.
There is no replacement for this class.

SecurityManager was originally specified to allow an application implement a security policy. It allowed an application to determine, before performing a possibly unsafe or security sensitive operation, whether the operation was being attempted in a security context that allowed the operation. This feature no longer exists.

Since:

1.0

Constructor Summary

Constructors

Constructor	Description
SecurityManager()	**Deprecated, for removal: This API element is subject to removal in a future version.** Constructs a new SecurityManager.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
void	checkAccept (String host, int port)	**Deprecated, for removal: This API element is subject to**

		removal in a future version. Throws SecurityException.
void	**checkAccess**(Thread t)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkAccess** (ThreadGroup g)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkConnect** (String host, int port)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkConnect** (String host, int port, Object context)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkCreateClassLoader**()	**Deprecated, for removal: This API element is subject to**

		removal in a future version. Throws SecurityException.
void	**checkDelete**(String file)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkExec**(String cmd)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkExit**(int status)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkLink**(String lib)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkListen**(int port)	**Deprecated, for removal: This API element is subject to**

		removal in a future version. Throws SecurityException.
void	**checkMulticast**(InetAddress maddr)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkMulticast**(InetAddress maddr, byte ttl)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkPackageAccess**(String pkg)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkPackageDefinition**(String pkg)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkPermission**(Permission perm)	**Deprecated, for removal: This API element is subject to**

		removal in a future version. Throws SecurityException.
void	**checkPermission**(Permission perm, Object context)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkPrintJobAccess**()	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkPropertiesAccess**()	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkPropertyAccess**(String key)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkRead**(FileDescriptor fd)	**Deprecated, for removal: This API element is subject to**

		removal in a future version. Throws SecurityException.
void	**checkRead**(String file)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkRead**(String file, Object context)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkSecurityAccess**(String target)	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkSetFactory**()	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws SecurityException.
void	**checkWrite**(FileDescriptor fd)	**Deprecated, for removal: This API element is subject to**

		removal in a future version. Throws `SecurityException`.
`void`	**`checkWrite`**`(String file)`	**Deprecated, for removal: This API element is subject to removal in a future version.** Throws `SecurityException`.
`protected Class<?>[]`	**`getClassContext`**`()`	**Deprecated, for removal: This API element is subject to removal in a future version.** Returns the current execution stack as an array of classes.
`Object`	**`getSecurityContext`**`()`	**Deprecated, for removal: This API element is subject to removal in a future version.** Returns an `AccessControlContext` where the `checkPermission` method always throws an `AccessControlException` and the `getDomainCombiner` method always returns `null`.
`ThreadGroup`	**`getThreadGroup`**`()`	**Deprecated, for removal: This API**

	element is subject to removal in a future version. Returns the current Thread's `ThreadGroup`.

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Constructor Details

SecurityManager

```
public SecurityManager()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Constructs a new `SecurityManager`. Setting a security manager with `System.setSecurityManager(SecurityManager)` is not supported.

Method Details

getClassContext

```
protected Class<?>[] getClassContext()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Returns the current execution stack as an array of classes.

The length of the array is the number of methods on the execution stack. The element at index `0` is the class of the currently executing method, the element at index `1` is the class of that method's caller, and so on.

API Note:

The `StackWalker` class can be used as a replacement for this method.

Returns:

the execution stack.

getSecurityContext

```
public Object getSecurityContext()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Returns an `AccessControlContext` where the `checkPermission` method always throws an `AccessControlException` and the `getDomainCombiner` method always returns `null`.

API Note:

This method originally returned a snapshot of the current calling context, which included the current thread's access control context and any limited privilege scope. This method has been changed to always return an innocuous `AccessControlContext` that fails all permission checks. The Security Manager is no longer supported. There is no replacement for the Security Manager or this method.

Returns:

an `AccessControlContext` as specified above

See Also:

`AccessControlContext`

checkPermission

```
public void checkPermission(Permission perm)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`perm` - ignored

Throws:

`SecurityException` - always

Since:

1.2

checkPermission

```
public void checkPermission(Permission perm,
                            Object context)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`perm` - ignored

`context` - ignored

Throws:

`SecurityException` - always

Since:

1.2

checkCreateClassLoader

```
public void checkCreateClassLoader()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Throws:

`SecurityException` - always

checkAccess

```
public void checkAccess(Thread t)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`t` - ignored

Throws:

`SecurityException` - always

checkAccess

```
public void checkAccess(ThreadGroup g)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`g` - ignored

Throws:

`SecurityException` - always

checkExit

```
public void checkExit(int status)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`status` - ignored

Throws:

`SecurityException` - always

checkExec

```
public void checkExec(String cmd)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`cmd` - ignored

Throws:

`SecurityException` - always

checkLink

```
public void checkLink(String lib)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws SecurityException.

Parameters:

`lib` - ignored

Throws:

`SecurityException` - always

checkRead

```
public void checkRead(FileDescriptor fd)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws SecurityException.

Parameters:

`fd` - the system-dependent file descriptor

Throws:

`SecurityException` - always

checkRead

```
public void checkRead(String file)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws SecurityException.

Parameters:

`file` - ignored

Throws:

`SecurityException` - always

checkRead

```
public void checkRead(String file,
                      Object context)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws SecurityException.

Parameters:

`file` - ignored

`context` - ignored

Throws:

`SecurityException` - always

checkWrite

```
public void checkWrite(FileDescriptor fd)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`fd` - ignored

Throws:

`SecurityException` - always

checkWrite

```
public void checkWrite(String file)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`file` - ignored

Throws:

`SecurityException` - always

checkDelete

```
public void checkDelete(String file)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`file` - ignored

Throws:

SecurityException - always

checkConnect

```
public void checkConnect(String host,
                         int port)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws SecurityException.

Parameters:

host - ignored

port - ignored

Throws:

SecurityException - always

checkConnect

```
public void checkConnect(String host,
                         int port,
                         Object context)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws SecurityException.

Parameters:

host - ignored

port - ignored

context - ignored

Throws:

SecurityException - always

checkListen

```
public void checkListen(int port)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws SecurityException.

Parameters:

`port` - ignored

Throws:

`SecurityException` - always

checkAccept

```
public void checkAccept(String host,
                        int port)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`host` - ignored

`port` - ignored

Throws:

`SecurityException` - always

checkMulticast

```
public void checkMulticast(InetAddress maddr)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`maddr` - ignored

Throws:

`SecurityException` - always

Since:

1.1

checkMulticast

```
public void checkMulticast(InetAddress maddr,
                           byte ttl)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`maddr` - ignored

`ttl` - ignored

Throws:

`SecurityException` - always

Since:

1.1

checkPropertiesAccess

```
public void checkPropertiesAccess()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Throws:

`SecurityException` - always

checkPropertyAccess

```
public void checkPropertyAccess(String key)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`key` - ignored

Throws:

`SecurityException` - always

checkPrintJobAccess

```
public void checkPrintJobAccess()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Throws:

`SecurityException` - always

Since:

1.1

checkPackageAccess

```
public void checkPackageAccess(String pkg)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`pkg` - ignored

Throws:

`SecurityException` - always

checkPackageDefinition

```
public void checkPackageDefinition(String pkg)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`pkg` - ignored

Throws:

`SecurityException` - always

checkSetFactory

```
public void checkSetFactory()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Throws:

`SecurityException` - always

checkSecurityAccess

```
public void checkSecurityAccess(String target)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Throws `SecurityException`.

Parameters:

`target` - ignored

Throws:

`SecurityException` - always

Since:

1.1

getThreadGroup

```
public ThreadGroup getThreadGroup()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Returns the current Thread's `ThreadGroup`.

Returns:

the current Thread's `ThreadGroup`

Since:

1.1

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.