JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class TypeNotPresentException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.TypeNotPresentException

All Implemented Interfaces:

Serializable

```
public class TypeNotPresentException
extends RuntimeException
```

Thrown when an application tries to access a type using a string representing the type's name, but no definition for the type with the specified name can be found. This exception differs from `ClassNotFoundException` in that `ClassNotFoundException` is a checked exception, whereas this exception is unchecked.

Note that this exception may be used when undefined type variables are accessed as well as when types (e.g., classes, interfaces or annotation types) are loaded. In particular, this exception can be thrown by the API used to read annotations reflectively.

Since:

1.5

See Also:

`AnnotatedElement`, Serialized Form

Constructor Summary

Constructors

Constructor	Description
`TypeNotPresentException``(String typeName, Throwable cause)`	Constructs a `TypeNotPresentException` for the named type or type variable with the specified cause.

Method Summary

All Methods | **Instance Methods** |

Modifier and Type	Method	Description

String	**typeName**()	Returns the fully qualified name of the unavailable type or type variable name.

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

TypeNotPresentException

```
public TypeNotPresentException(String typeName,
                               Throwable cause)
```

Constructs a `TypeNotPresentException` for the named type or type variable with the specified cause.

Parameters:

`typeName` - the fully qualified name of the unavailable type or type variable

`cause` - the exception that was thrown when the system attempted to load the named type, or `null` if unavailable or inapplicable

Method Details

typeName

```
public String typeName()
```

Returns the fully qualified name of the unavailable type or type variable name.

Returns:

the fully qualified name of the unavailable type or type variable name

---

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.