JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class AnnotationTypeMismatchException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.annotation.AnnotationTypeMismatchException

All Implemented Interfaces:

Serializable

```
public class AnnotationTypeMismatchException
extends RuntimeException
```

Thrown to indicate that a program has attempted to access an element of an annotation whose type has changed after the annotation was compiled (or serialized). This exception can be thrown by the API used to read annotations reflectively.

Since:

1.5

See Also:

AnnotatedElement, Serialized Form

Constructor Summary

Constructors

Constructor	Description
AnnotationTypeMismatchException(Method element, String foundType)	Constructs an AnnotationTypeMismatchException for the specified annotation type element and found data type.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
Method	**element**()	Returns the Method object for the incorrectly typed element.
String	**foundType**()	

	Returns the type of data found in the incorrectly typed element.

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

AnnotationTypeMismatchException

```
public AnnotationTypeMismatchException(Method element,
                                       String foundType)
```

Constructs an AnnotationTypeMismatchException for the specified annotation type element and found data type.

Parameters:

`element` - the `Method` object for the annotation element, may be `null`

`foundType` - the (erroneous) type of data found in the annotation. This string may, but is not required to, contain the value as well. The exact format of the string is unspecified, may be `null`.

Method Details

element

```
public Method element()
```

Returns the `Method` object for the incorrectly typed element. The value may be unavailable if this exception has been serialized and then read back in.

Returns:

the `Method` object for the incorrectly typed element, or `null` if unavailable

foundType

```
public String foundType()
```

Returns the type of data found in the incorrectly typed element. The returned string may, but is not required to, contain the value as well. The exact format of the string is unspecified and the string may be `null`.

Returns:

the type of data found in the incorrectly typed element

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.