JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Enum Class RetentionPolicy

java.lang.Object
  java.lang.Enum<RetentionPolicy>
    java.lang.annotation.RetentionPolicy

All Implemented Interfaces:

Serializable, Comparable<RetentionPolicy>, Constable

```
public enum RetentionPolicy
extends Enum<RetentionPolicy>
```

Annotation retention policy. The constants of this enumerated class describe the various policies for retaining annotations. They are used in conjunction with the Retention meta-annotation interface to specify how long annotations are to be retained.

Since:

1.5

Nested Class Summary

Nested classes/interfaces declared in class Enum
Enum.EnumDesc<E>

Enum Constant Summary

Enum Constants

Enum Constant	Description
CLASS	Annotations are to be recorded in the class file by the compiler but need not be retained by the VM at run time.
RUNTIME	Annotations are to be recorded in the class file by the compiler and retained by the VM at run time, so they may be read reflectively.
SOURCE	Annotations are to be discarded by the compiler.

Method Summary

All Methods	Static Methods	

Modifier and Type	Method	Description
static RetentionPolicy	**valueOf**(String name)	Returns the enum constant of this class with the specified name.
static RetentionPolicy[]	**values**()	Returns an array containing the constants of this enum class, in the order they are declared.

Methods declared in class Enum

clone, compareTo, describeConstable, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods declared in class Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Details

SOURCE

public static final RetentionPolicy SOURCE

Annotations are to be discarded by the compiler.

CLASS

public static final RetentionPolicy CLASS

Annotations are to be recorded in the class file by the compiler but need not be retained by the VM at run time. This is the default behavior.

RUNTIME

public static final RetentionPolicy RUNTIME

Annotations are to be recorded in the class file by the compiler and retained by the VM at run time, so they may be read reflectively.

See Also:

AnnotatedElement

Method Details

values

`public static RetentionPolicy[] values()`

Returns an array containing the constants of this enum class, in the order they are declared.

Returns:

an array containing the constants of this enum class, in the order they are declared

valueOf

`public static RetentionPolicy valueOf(String name)`

Returns the enum constant of this class with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this class. (Extraneous whitespace characters are not permitted.)

Parameters:

`name` - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

`IllegalArgumentException` - if this enum class has no constant with the specified name

`NullPointerException` - if the argument is null

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.