JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface Type

All Known Subinterfaces:

`GenericArrayType`, `ParameterizedType`, `TypeVariable<D>`, `WildcardType`

All Known Implementing Classes:

`Class`

`public interface` **`Type`**

Type is the common superinterface for all types in the Java programming language. These include raw types, parameterized types, array types, type variables and primitive types.

See *Java Language Specification*:

- 4.1 The Kinds of Types and Values
- 4.2 Primitive Types and Values
- 4.3 Reference Types and Values
- 4.4 Type Variables
- 4.5 Parameterized Types
- 4.8 Raw Types
- 4.9 Intersection Types
- 10.1 Array Types

Since:

1.5

Method Summary

All Methods	Instance Methods	

Modifier and Type	Method	Description
`default String`	**`getTypeName`**`()`	Returns a string describing this type, including information about any type parameters.

Method Details

getTypeName

`default String getTypeName()`

Returns a string describing this type, including information about any type parameters.

Implementation Requirements:

The default implementation calls `toString`.

Returns:

a string describing this type

Since:

1.8

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.