JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface InterruptibleChannel

All Superinterfaces:

AutoCloseable, Channel, Closeable

All Known Implementing Classes:

AbstractInterruptibleChannel, AbstractSelectableChannel, DatagramChannel, FileChannel, Pipe.SinkChannel, Pipe.SourceChannel, SctpChannel, SctpMultiChannel, SctpServerChannel, SelectableChannel, ServerSocketChannel, SocketChannel

---

```
public interface InterruptibleChannel
extends Channel
```

A channel that can be asynchronously closed and interrupted.

A channel that implements this interface is *asynchronously closeable:* If a thread is blocked in an I/O operation on an interruptible channel then another thread may invoke the channel's `close` method. This will cause the blocked thread to receive an `AsynchronousCloseException`.

A channel that implements this interface is also *interruptible:* If a thread is blocked in an I/O operation on an interruptible channel then another thread may invoke the blocked thread's `interrupt` method. This will cause the channel to be closed, the blocked thread to receive a `ClosedByInterruptException`, and the blocked thread's interrupted status to be set.

If a thread's interrupted status is already set and it invokes a blocking I/O operation upon a channel then the channel will be closed and the thread will immediately receive a `ClosedByInterruptException`; its interrupted status will remain set.

A channel supports asynchronous closing and interruption if, and only if, it implements this interface. This can be tested at runtime, if necessary, via the `instanceof` operator.

Since:

1.4

Method Summary

All Methods	Instance Methods	

Modifier and Type	Method	Description
`void`	`close()`	Closes this channel.

Methods declared in interface Channel

`isOpen`

Method Details

close

```
void close()
    throws IOException
```

Closes this channel.

Any thread currently blocked in an I/O operation upon this channel will receive an `AsynchronousCloseException`.

This method otherwise behaves exactly as specified by the `Channel` interface.

Specified by:

`close` in interface `AutoCloseable`

Specified by:

`close` in interface `Channel`

Specified by:

`close` in interface `Closeable`

Throws:

`IOException` - If an I/O error occurs

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.