JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class CoderMalfunctionError

java.lang.Object
  java.lang.Throwable
    java.lang.Error
      java.nio.charset.CoderMalfunctionError

All Implemented Interfaces:

Serializable

```
public class CoderMalfunctionError
extends Error
```

Error thrown when the `decodeLoop` method of a `CharsetDecoder`, or the `encodeLoop` method of a `CharsetEncoder`, throws an unexpected exception.

Since:

1.4

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`CoderMalfunctionError``(Exception cause)`	Initializes an instance of this class.

Method Summary

Methods declared in class Throwable

`addSuppressed`, `fillInStackTrace`, `getCause`, `getLocalizedMessage`, `getMessage`, `getStackTrace`, `getSuppressed`, `initCause`, `printStackTrace`, `printStackTrace`, `printStackTrace`, `setStackTrace`, `toString`

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Details

CoderMalfunctionError

```
public CoderMalfunctionError(Exception cause)
```

Initializes an instance of this class.

Parameters:

`cause` - The unexpected exception that was thrown

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.