JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class StandardCharsets

java.lang.Object
    java.nio.charset.StandardCharsets

```
public final class StandardCharsets
extends Object
```

Constant definitions for the standard `charsets`. These charsets are guaranteed to be available on every implementation of the Java platform.

Since:

1.7

See Also:

Standard Charsets

Field Summary

Fields

Modifier and Type	Field	Description
static final Charset	ISO_8859_1	ISO Latin Alphabet No. 1, also known as ISO-LATIN-1.
static final Charset	US_ASCII	Seven-bit ASCII, also known as ISO646-US, also known as the Basic Latin block of the Unicode character set.
static final Charset	UTF_16	Sixteen-bit UCS Transformation Format, byte order identified by an optional byte-order mark.
static final Charset	UTF_16BE	Sixteen-bit UCS Transformation Format, big-endian byte order.
static final Charset	UTF_16LE	Sixteen-bit UCS Transformation Format, little-endian byte order.
static final Charset	UTF_32	Thirty-two-bit UCS Transformation Format,

		byte order identified by an optional byte-order mark.
static final Charset	UTF_32BE	Thirty-two-bit UCS Transformation Format, big-endian byte order.
static final Charset	UTF_32LE	Thirty-two-bit UCS Transformation Format, little-endian byte order.
static final Charset	UTF_8	Eight-bit UCS Transformation Format.

Method Summary

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Field Details

US_ASCII

```
public static final Charset US_ASCII
```

Seven-bit ASCII, also known as ISO646-US, also known as the Basic Latin block of the Unicode character set.

ISO_8859_1

```
public static final Charset ISO_8859_1
```

ISO Latin Alphabet No. 1, also known as ISO-LATIN-1.

UTF_8

```
public static final Charset UTF_8
```

Eight-bit UCS Transformation Format.

UTF_16BE

```
public static final Charset UTF_16BE
```

Sixteen-bit UCS Transformation Format, big-endian byte order.

UTF_16LE

```
public static final Charset UTF_16LE
```

Sixteen-bit UCS Transformation Format, little-endian byte order.

UTF_16

```
public static final Charset UTF_16
```

Sixteen-bit UCS Transformation Format, byte order identified by an optional byte-order mark.

UTF_32BE

```
public static final Charset UTF_32BE
```

Thirty-two-bit UCS Transformation Format, big-endian byte order.

Since:

22

UTF_32LE

```
public static final Charset UTF_32LE
```

Thirty-two-bit UCS Transformation Format, little-endian byte order.

Since:

22

UTF_32

```
public static final Charset UTF_32
```

Thirty-two-bit UCS Transformation Format, byte order identified by an optional byte-order mark.

Since:

22

---

contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.

Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.

Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.

All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.