JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class FileSystemException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.io.IOException
        java.nio.file.FileSystemException

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

AccessDeniedException, AtomicMoveNotSupportedException, DirectoryNotEmptyException, FileAlreadyExistsException, FileSystemLoopException, NoSuchFileException, NotDirectoryException, NotLinkException

---

```
public class FileSystemException
extends IOException
```

Thrown when a file system operation fails on one or two files. This class is the general class for file system exceptions.

Since:

1.7

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`FileSystemException(String file)`	Constructs an instance of this class.
`FileSystemException(String file, String other, String reason)`	Constructs an instance of this class.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
`String`	`getFile()`	Returns the file used to create this exception.

String	**getMessage**()	Returns the detail message string.
String	**getOtherFile**()	Returns the other file used to create this exception.
String	**getReason**()	Returns the string explaining why the file system operation failed.

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

FileSystemException

```
public FileSystemException(String file)
```

Constructs an instance of this class. This constructor should be used when an operation involving one file fails and there isn't any additional information to explain the reason.

Parameters:

`file` - a string identifying the file or `null` if not known.

FileSystemException

```
public FileSystemException(String file,
                           String other,
                           String reason)
```

Constructs an instance of this class. This constructor should be used when an operation involving two files fails, or there is additional information to explain the reason.

Parameters:

`file` - a string identifying the file or `null` if not known.

`other` - a string identifying the other file or `null` if there isn't another file or if not known

`reason` - a reason message with additional information or `null`

Method Details

getFile

`public String getFile()`

Returns the file used to create this exception.

Returns:

the file (can be `null`)

getOtherFile

`public String getOtherFile()`

Returns the other file used to create this exception.

Returns:

the other file (can be `null`)

getReason

`public String getReason()`

Returns the string explaining why the file system operation failed.

Returns:

the string explaining why the file system operation failed

getMessage

`public String getMessage()`

Returns the detail message string.

Overrides:

`getMessage` in class `Throwable`

Returns:

the detail message string of this `Throwable` instance (which may be `null`).

---

contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.

Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.

Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.

All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.