JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class InvalidPathException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.IllegalArgumentException
          java.nio.file.InvalidPathException

All Implemented Interfaces:

Serializable

```
public class InvalidPathException
extends IllegalArgumentException
```

Unchecked exception thrown when path string cannot be converted into a `Path` because the path string contains invalid characters, or the path string is invalid for other file system specific reasons.

Since:

1.7

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
InvalidPathException(String input, String reason)	Constructs an instance from the given input string and reason.
InvalidPathException(String input, String reason, int index)	Constructs an instance from the given input string, reason, and error index.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
int	**getIndex**()	Returns an index into the input string of the position at which the error occurred, or -1 if

		this position is not known.
String	**getInput**()	Returns the input string.
String	**getMessage**()	Returns a string describing the error.
String	**getReason**()	Returns a string explaining why the input string was rejected.

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

InvalidPathException

```
public InvalidPathException(String input,
                            String reason,
                            int index)
```

Constructs an instance from the given input string, reason, and error index.

Parameters:

`input` - the input string

`reason` - a string explaining why the input was rejected

`index` - the index at which the error occurred, or `-1` if the index is not known

Throws:

`NullPointerException` - if either the input or reason strings are `null`

`IllegalArgumentException` - if the error index is less than `-1`

InvalidPathException

```
public InvalidPathException(String input,
                            String reason)
```

Constructs an instance from the given input string and reason. The resulting object will have an error index of `-1`.

Parameters:

`input` - the input string

`reason` - a string explaining why the input was rejected

Throws:

`NullPointerException` - if either the input or reason strings are `null`

Method Details

getInput

```
public String getInput()
```

Returns the input string.

Returns:

the input string

getReason

```
public String getReason()
```

Returns a string explaining why the input string was rejected.

Returns:

the reason string

getIndex

```
public int getIndex()
```

Returns an index into the input string of the position at which the error occurred, or `-1` if this position is not known.

Returns:

the error index

getMessage

```
public String getMessage()
```

Returns a string describing the error. The resulting string consists of the reason string followed by a colon character (`':'`), a space, and the input string. If the error index is defined then the string `" at index "` followed by the index, in decimal, is inserted after the reason string and before the colon character.

Overrides:

`getMessage` in class `Throwable`

Returns:

a string describing the error

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.