JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class LinkPermission

java.lang.Object
    java.security.Permission
        java.security.BasicPermission
            java.nio.file.LinkPermission

All Implemented Interfaces:

`Serializable`, `Guard`

```
@Deprecated(since="25",
            forRemoval=true)
public final class LinkPermission
extends BasicPermission
```

Deprecated, for removal: This API element is subject to removal in a future version.
This permission cannot be used for controlling access to resources as the Security Manager is no longer supported.

The `Permission` class for link creation operations.

Since:

1.7

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`LinkPermission(String name)`	**Deprecated, for removal: This API element is subject to removal in a future version.** Constructs a `LinkPermission` with the specified name.
`LinkPermission(String name, String actions)`	**Deprecated, for removal: This API element is subject to removal in a future version.** Constructs a `LinkPermission` with the specified name.

Method Summary

Methods declared in class BasicPermission

`equals`, `getActions`, `hashCode`, `implies`, `newPermissionCollection`

Methods declared in class Permission

`checkGuard`, `getName`, `toString`

Methods declared in class Object

`clone`, `finalize`, `getClass`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Details

LinkPermission

```
public LinkPermission(String name)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Constructs a `LinkPermission` with the specified name.

Parameters:

`name` - the name of the permission. It must be "hard" or "symbolic".

Throws:

`IllegalArgumentException` - if name is empty or invalid

LinkPermission

```
public LinkPermission(String name,
                      String actions)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Constructs a `LinkPermission` with the specified name.

Parameters:

`name` - the name of the permission; must be "hard" or "symbolic".

`actions` - the actions for the permission; must be the empty string or `null`

Throws:

`IllegalArgumentException` - if name is empty or invalid, or actions is a non-empty string

---

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.