JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class Paths

java.lang.Object
    java.nio.file.Paths

```
public final class Paths
extends Object
```

This class consists exclusively of static methods that return a `Path` by converting a path string or `URI`.

API Note:

It is recommended to obtain a `Path` via the `Path.of` methods instead of via the `get` methods defined in this class as this class may be deprecated in a future release.

Since:

1.7

See Also:

`Path`

Method Summary

All Methods	Static Methods	

Modifier and Type	Method	Description
`static Path`	`get(String first, String... more)`	Converts a path string, or a sequence of strings that when joined form a path string, to a `Path`.
`static Path`	`get(URI uri)`	Converts the given URI to a `Path` object.

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Method Details

get

```
public static Path get(String first,
                       String... more)
```

Converts a path string, or a sequence of strings that when joined form a path string, to a `Path`.

Implementation Requirements:

This method simply invokes `Path.of(String, String...)` with the given parameters.

Parameters:

`first` - the path string or initial part of the path string

`more` - additional strings to be joined to form the path string

Returns:

the resulting `Path`

Throws:

`InvalidPathException` - if the path string cannot be converted to a `Path`

See Also:

`FileSystem.getPath(String, String...)`, `Path.of(String,String...)`

get

```
public static Path get(URI uri)
```

Converts the given URI to a `Path` object.

Implementation Requirements:

This method simply invokes `Path.of(URI)` with the given parameter.

Parameters:

`uri` - the URI to convert

Returns:

the resulting `Path`

Throws:

`IllegalArgumentException` - if preconditions on the `uri` parameter do not hold. The format of the URI is provider specific.

`FileSystemNotFoundException` - The file system, identified by the URI, does not exist and cannot be created automatically, or the provider identified by the URI's scheme component is not installed

See Also:

`Path.of(URI)`

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of

terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.