JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class SimpleFileVisitor<T>

java.lang.Object
    java.nio.file.SimpleFileVisitor<T>

Type Parameters:

T - The type of reference to the files

All Implemented Interfaces:

FileVisitor<T>

```
public class SimpleFileVisitor<T>
extends Object
implements FileVisitor<T>
```

A simple visitor of files with default behavior to visit all files and to re-throw I/O errors.

Methods in this class may be overridden subject to their general contract.

Since:

1.7

Constructor Summary

Constructors

Modifier	Constructor	Description
protected	SimpleFileVisitor()	Initializes a new instance of this class.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
FileVisitResult	postVisitDirectory (T dir, IOException exc)	Invoked for a directory after entries in the directory, and all of their descendants, have been visited.
FileVisitResult	preVisitDirectory (T dir, BasicFileAttributes attr	Invoked for a directory before entries in the directory are visited.

FileVisitResult	**visitFile**(T file, BasicFileAttributes attr	Invoked for a file in a directory.
FileVisitResult	**visitFileFailed**(T file, IOException exc)	Invoked for a file that could not be visited.

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Details

SimpleFileVisitor

```
protected SimpleFileVisitor()
```

Initializes a new instance of this class.

Method Details

preVisitDirectory

```
public FileVisitResult preVisitDirectory(T dir,
                                         BasicFileAttributes attrs)
                                  throws IOException
```

Invoked for a directory before entries in the directory are visited.

Unless overridden, this method returns CONTINUE.

Specified by:

preVisitDirectory in interface FileVisitor<T>

Parameters:

dir - a reference to the directory

attrs - the directory's basic attributes

Returns:

the visit result

Throws:

IOException - if an I/O error occurs

visitFile

```
public FileVisitResult visitFile(T file,
                                 BasicFileAttributes attrs)
                          throws IOException
```

Invoked for a file in a directory.

Unless overridden, this method returns CONTINUE.

Specified by:

visitFile in interface FileVisitor<T>

Parameters:

file - a reference to the file

attrs - the file's basic attributes

Returns:

the visit result

Throws:

IOException - if an I/O error occurs

visitFileFailed

```
public FileVisitResult visitFileFailed(T file,
                                       IOException exc)
                                throws IOException
```

Invoked for a file that could not be visited.

Unless overridden, this method re-throws the I/O exception that prevented the file from being visited.

Specified by:

visitFileFailed in interface FileVisitor<T>

Parameters:

file - a reference to the file

exc - the I/O exception that prevented the file from being visited

Returns:

the visit result

Throws:

IOException - if an I/O error occurs

postVisitDirectory

```
public FileVisitResult postVisitDirectory(T dir,
                                          IOException exc)
                                   throws IOException
```

Invoked for a directory after entries in the directory, and all of their descendants, have been visited.

Unless overridden, this method returns `CONTINUE` if the directory iteration completes without an I/O exception; otherwise this method re-throws the I/O exception that caused the iteration of the directory to terminate prematurely.

Specified by:

`postVisitDirectory` in interface `FileVisitor<T>`

Parameters:

`dir` - a reference to the directory

`exc` - `null` if the iteration of the directory completes without an error; otherwise the I/O exception that caused the iteration of the directory to complete prematurely

Returns:

the visit result

Throws:

`IOException` - if an I/O error occurs

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.