JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface WatchEvent.Kind<T>

Type Parameters:

T - The type of the context object associated with the event

Enclosing interface:

WatchEvent<T>

```
public static interface WatchEvent.Kind<T>
```

An event kind, for the purposes of identification.

Since:

1.7

See Also:

StandardWatchEventKinds

Method Summary

All Methods | Instance Methods

Modifier and Type	Method	Description
String	**name**()	Returns the name of the event kind.
Class<T>	**type**()	Returns the type of the context value.

Method Details

name

```
String name()
```

Returns the name of the event kind.

Returns:

the name of the event kind

type

```
Class<T> type()
```

Returns the type of the context value.

Returns:

the type of the context value

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.