JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface AttributeView

All Known Subinterfaces:

AclFileAttributeView, BasicFileAttributeView, DosFileAttributeView, FileAttributeView, FileOwnerAttributeView, FileStoreAttributeView, PosixFileAttributeView, UserDefinedFileAttributeView

---

`public interface AttributeView`

An object that provides a read-only or updatable *view* of non-opaque values associated with an object in a filesystem. This interface is extended or implemented by specific attribute views that define the attributes supported by the view. A specific attribute view will typically define type-safe methods to read or update the attributes that it supports.

Since:

1.7

Method Summary

All Methods	Instance Methods	

Modifier and Type	Method	Description
String	name()	Returns the name of the attribute view.

Method Details

name

`String name()`

Returns the name of the attribute view.

Returns:

the name of the attribute view

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.