JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class BreakIteratorProvider

java.lang.Object
    java.util.spi.LocaleServiceProvider
        java.text.spi.BreakIteratorProvider

```
public abstract class BreakIteratorProvider
extends LocaleServiceProvider
```

An abstract class for service providers that provide concrete implementations of the `BreakIterator` class.

Since:

1.6

Constructor Summary

Constructors

Modifier	Constructor	Description
protected	`BreakIteratorProvider()`	Sole constructor.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
abstract BreakIterator	`getCharacterInstance(Locale locale)`	Returns a new `BreakIterator` instance for character breaks for the given locale.
abstract BreakIterator	`getLineInstance(Locale locale)`	Returns a new `BreakIterator` instance for line breaks for the given locale.
abstract BreakIterator	`getSentenceInstance(Locale locale)`	Returns a new `BreakIterator` instance for sentence breaks for the given locale.
abstract BreakIterator	`getWordInstance(Locale locale)`	Returns a new `BreakIterator` instance for word breaks for the given locale.

Methods declared in class LocaleServiceProvider

`getAvailableLocales`, `isSupportedLocale`

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Constructor Details

BreakIteratorProvider

```
protected BreakIteratorProvider()
```

Sole constructor. (For invocation by subclass constructors, typically implicit.)

Method Details

getWordInstance

```
public abstract BreakIterator getWordInstance(Locale locale)
```

Returns a new `BreakIterator` instance for word breaks for the given locale.

Parameters:

`locale` - the desired locale

Returns:

A break iterator for word breaks

Throws:

`NullPointerException` - if `locale` is null

`IllegalArgumentException` - if `locale` isn't one of the locales returned from `getAvailableLocales()`.

See Also:

`BreakIterator.getWordInstance(java.util.Locale)`

getLineInstance

```
public abstract BreakIterator getLineInstance(Locale locale)
```

Returns a new `BreakIterator` instance for line breaks for the given locale.

Parameters:

`locale` - the desired locale

Returns:

A break iterator for line breaks

Throws:

`NullPointerException` - if `locale` is null

`IllegalArgumentException` - if `locale` isn't one of the locales returned from `getAvailableLocales()`.

See Also:

`BreakIterator.getLineInstance(java.util.Locale)`

getCharacterInstance

`public abstract BreakIterator getCharacterInstance(Locale locale)`

Returns a new `BreakIterator` instance for character breaks for the given locale.

Parameters:

`locale` - the desired locale

Returns:

A break iterator for character breaks

Throws:

`NullPointerException` - if `locale` is null

`IllegalArgumentException` - if `locale` isn't one of the locales returned from `getAvailableLocales()`.

See Also:

`BreakIterator.getCharacterInstance(java.util.Locale)`

getSentenceInstance

`public abstract BreakIterator getSentenceInstance(Locale locale)`

Returns a new `BreakIterator` instance for sentence breaks for the given locale.

Parameters:

`locale` - the desired locale

Returns:

A break iterator for sentence breaks

Throws:

`NullPointerException` - if `locale` is null

`IllegalArgumentException` - if `locale` isn't one of the locales returned from `getAvailableLocales()`.

See Also:

`BreakIterator.getSentenceInstance(java.util.Locale)`

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.