JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class FormattableFlags

java.lang.Object
    java.util.FormattableFlags

```
public final class FormattableFlags
extends Object
```

FormattableFlags are passed to the `Formattable.formatTo()` method and modify the output format for Formattables. Implementations of `Formattable` are responsible for interpreting and validating any flags.

Since:

1.5

Field Summary

Fields

Modifier and Type	Field	Description
`static final int`	**`ALTERNATE`**	Requires the output to use an alternate form.
`static final int`	**`LEFT_JUSTIFY`**	Left-justifies the output.
`static final int`	**`UPPERCASE`**	Converts the output to upper case according to the rules of the locale given during creation of the `formatter` argument of the `formatTo()` method.

Method Summary

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Field Details

LEFT_JUSTIFY

```
public static final int LEFT_JUSTIFY
```

Left-justifies the output. Spaces (`'\u0020'`) will be added at the end of the converted value as required to fill the minimum width of the field. If this flag is not set then the output will be right-justified.

This flag corresponds to `'-'` (`'\u002d'`) in the format specifier.

See Also:

Constant Field Values

UPPERCASE

`public static final int UPPERCASE`

Converts the output to upper case according to the rules of the locale given during creation of the `formatter` argument of the `formatTo()` method. The output should be equivalent the following invocation of `String.toUpperCase(java.util.Locale)`

```
out.toUpperCase()
```

This flag corresponds to `'S'` (`'\u0053'`) in the format specifier.

See Also:

Constant Field Values

ALTERNATE

`public static final int ALTERNATE`

Requires the output to use an alternate form. The definition of the form is specified by the `Formattable`.

This flag corresponds to `'#'` (`'\u0023'`) in the format specifier.

See Also:

Constant Field Values

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.