JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class IllegalFormatCodePointException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.IllegalArgumentException
          java.util.IllegalFormatException
            java.util.IllegalFormatCodePointException

All Implemented Interfaces:

Serializable

```
public non-sealed class IllegalFormatCodePointException
extends IllegalFormatException
```

Unchecked exception thrown when a character with an invalid Unicode code point as defined by `Character.isValidCodePoint(int)` is passed to the `Formatter`.

Unless otherwise specified, passing a `null` argument to any method or constructor in this class will cause a `NullPointerException` to be thrown.

Since:

1.5

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`IllegalFormatCodePointException``(int c)`	Constructs an instance of this class with the specified illegal code point as defined by `Character.isValidCodePoint(int)`.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
`int`	**`getCodePoint`**`()`	Returns the illegal code point as defined by `Character.isValidCodePoint(int)`.

Methods declared in class Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

IllegalFormatCodePointException

```
public IllegalFormatCodePointException(int c)
```

Constructs an instance of this class with the specified illegal code point as defined by `Character.isValidCodePoint(int)`.

Parameters:

c - The illegal Unicode code point

Method Details

getCodePoint

```
public int getCodePoint()
```

Returns the illegal code point as defined by `Character.isValidCodePoint(int)`.

Returns:

The illegal Unicode code point

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.