JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface Observer

```
@Deprecated(since="9")
public interface Observer
```

Deprecated.
This interface has been deprecated. See the `Observable` class for further information.

A class can implement the `Observer` interface when it wants to be informed of changes in observable objects.

Since:

1.0

See Also:

`Observable`

Method Summary

All Methods | Instance Methods

Modifier and Type	Method	Description
void	**update**(Observable o, Object arg)	**Deprecated.** This method is called whenever the observed object is changed.

Method Details

update

```
void update(Observable o,
            Object arg)
```

Deprecated.

This method is called whenever the observed object is changed. An application calls an `Observable` object's `notifyObservers` method to have all the object's observers notified of the change.

Parameters:

`o` - the observable object.

`arg` - an argument passed to the `notifyObservers` method.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.