JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class PropertyPermission

java.lang.Object
    java.security.Permission
        java.security.BasicPermission
            java.util.PropertyPermission

All Implemented Interfaces:

Serializable, Guard

```
@Deprecated(since="25",
            forRemoval=true)
public final class PropertyPermission
extends BasicPermission
```

Deprecated, for removal: This API element is subject to removal in a future version.
This permission cannot be used for controlling access to resources as the Security Manager is no longer supported.

This class is for property permissions.

The name is the name of the property ("java.home", "os.name", etc). The naming convention follows the hierarchical property naming convention. Also, an asterisk may appear at the end of the name, following a ".", or by itself, to signify a wildcard match. For example: "java.*" and "*" signify a wildcard match, while "*java" and "a*b" do not.

The actions are passed to the constructor in a string containing a list of one or more comma-separated keywords. The possible keywords are "read" and "write".

The actions string is converted to lowercase before processing.

Since:

1.2

See Also:

BasicPermission, Permission, Permissions, PermissionCollection, SecurityManager

Constructor Summary

Constructors

Constructor	Description
`PropertyPermission(String name, String actions)`	

	Deprecated, for removal: This API element is subject to removal in a future version. Creates a new PropertyPermission object with the specified name.

Method Summary

All Methods | Instance Methods

Modifier and Type	Method	Description
boolean	`equals(Object obj)`	**Deprecated, for removal: This API element is subject to removal in a future version.** Checks two PropertyPermission objects for equality.
String	`getActions()`	**Deprecated, for removal: This API element is subject to removal in a future version.** Returns the "canonical string representation" of the actions.
int	`hashCode()`	**Deprecated, for removal: This API element is subject to removal in a future version.** Returns the hash code value for this object.
boolean	`implies(Permission p)`	**Deprecated, for removal: This API element is subject to removal in a future version.**

	Checks if this PropertyPermission object "implies" the specified permission.
`PermissionCollection` **`newPermissionCollection`**`(`	**Deprecated, for removal: This API element is subject to removal in a future version.** Returns a new PermissionCollection object for storing PropertyPermission objects.

Methods declared in class Permission

`checkGuard`, `getName`, `toString`

Methods declared in class Object

`clone`, `finalize`, `getClass`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Details

PropertyPermission

```
public PropertyPermission(String name,
                          String actions)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Creates a new PropertyPermission object with the specified name. The name is the name of the system property, and *actions* contains a comma-separated list of the desired actions granted on the property. Possible actions are "read" and "write".

Parameters:

`name` - the name of the PropertyPermission.

`actions` - the actions string.

Throws:

`NullPointerException` - if `name` is `null`.

`IllegalArgumentException` - if `name` is empty or if `actions` is invalid.

Method Details

implies

```
public boolean implies(Permission p)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Checks if this PropertyPermission object "implies" the specified permission.

More specifically, this method returns true if:

- *p* is an instanceof PropertyPermission,
- *p*'s actions are a subset of this object's actions, and
- *p*'s name is implied by this object's name. For example, "java.*" implies "java.home".

Overrides:

`implies` in class `BasicPermission`

Parameters:

`p` - the permission to check against.

Returns:

true if the specified permission is implied by this object, false if not.

equals

```
public boolean equals(Object obj)
```

Deprecated, for removal: This API element is subject to removal in a future version.

Checks two PropertyPermission objects for equality. Checks that *obj* is a PropertyPermission, and has the same name and actions as this object.

Overrides:

`equals` in class `BasicPermission`

Parameters:

`obj` - the object we are testing for equality with this object.

Returns:

true if obj is a PropertyPermission, and has the same name and actions as this PropertyPermission object.

See Also:

`Object.hashCode()`, `HashMap`

hashCode

```
public int hashCode()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Returns the hash code value for this object. The hash code used is the hash code of this permissions name, that is, `getName().hashCode()`, where `getName` is from the Permission superclass.

Overrides:

`hashCode` in class `BasicPermission`

Returns:

a hash code value for this object.

See Also:

`Object.equals(java.lang.Object)`, `System.identityHashCode(Object)`

getActions

```
public String getActions()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Returns the "canonical string representation" of the actions. That is, this method always returns present actions in the following order: read, write. For example, if this PropertyPermission object allows both write and read actions, a call to `getActions` will return the string "read,write".

Overrides:

`getActions` in class `BasicPermission`

Returns:

the canonical string representation of the actions.

newPermissionCollection

```
public PermissionCollection newPermissionCollection()
```

Deprecated, for removal: This API element is subject to removal in a future version.

Returns a new PermissionCollection object for storing PropertyPermission objects.

Overrides:

`newPermissionCollection` in class `BasicPermission`

Returns:

a new PermissionCollection object suitable for storing PropertyPermissions.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.