JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface Spliterator.OfPrimitive<T, T_CONS, T_SPLITR extends Spliterator.OfPrimitive<T, T_CONS,T_SPLITR>>

Type Parameters:

T - the type of elements returned by this Spliterator. The type must be a wrapper type for a primitive type, such as `Integer` for the primitive `int` type.

T_CONS - the type of primitive consumer. The type must be a primitive specialization of `Consumer` for T, such as `IntConsumer` for `Integer`.

T_SPLITR - the type of primitive Spliterator. The type must be a primitive specialization of Spliterator for T, such as `Spliterator.OfInt` for `Integer`.

All Superinterfaces:

`Spliterator`<T>

All Known Subinterfaces:

`Spliterator.OfDouble`, `Spliterator.OfInt`, `Spliterator.OfLong`

All Known Implementing Classes:

`Spliterators.AbstractDoubleSpliterator`,
`Spliterators.AbstractIntSpliterator`,
`Spliterators.AbstractLongSpliterator`

Enclosing interface:

`Spliterator`<T>

```
public static interface Spliterator.OfPrimitive<T, T_CONS, T_SPLITR
extends Spliterator.OfPrimitive<T,T_CONS,T_SPLITR>>
extends Spliterator<T>
```

A Spliterator specialized for primitive values.

Since:

1.8

See Also:

`Spliterator.OfInt`, `Spliterator.OfLong`, `Spliterator.OfDouble`

Nested Class Summary

Nested classes/interfaces declared in interface Spliterator
`Spliterator.OfDouble`, `Spliterator.OfInt`, `Spliterator.OfLong`, `Spliterator.OfPrimitive`<T,T_CONS,T_SPLITR>

Field Summary

Fields declared in interface Spliterator

CONCURRENT, DISTINCT, IMMUTABLE, NONNULL, ORDERED, SIZED, SORTED, SUBSIZED

Method Summary

All Methods | Instance Methods

Modifier and Type	Method	Description
default void	forEachRemaining (T_CONS action)	Performs the given action for each remaining element, sequentially in the current thread, until all elements have been processed or the action throws an exception.
boolean	tryAdvance (T_CONS action)	If a remaining element exists, performs the given action on it, returning `true`; else returns `false`.

Methods declared in interface Spliterator

characteristics, estimateSize, forEachRemaining, getComparator, getExactSizeIfKnown, hasCharacteristics, tryAdvance, trySplit

Method Details

tryAdvance

```
boolean tryAdvance(T_CONS action)
```

If a remaining element exists, performs the given action on it, returning `true`; else returns `false`. If this Spliterator is `Spliterator.ORDERED` the action is performed on the next element in encounter order. Exceptions thrown by the action are relayed to the caller.

Subsequent behavior of a spliterator is unspecified if the action throws an exception.

Parameters:

`action` - The action

Returns:

`false` if no remaining elements existed upon entry to this method, else `true`.

Throws:

`NullPointerException` - if the specified action is null

forEachRemaining

```
default void forEachRemaining(T_CONS action)
```

Performs the given action for each remaining element, sequentially in the current thread, until all elements have been processed or the action throws an exception. If this Spliterator is `Spliterator.ORDERED`, actions are performed in encounter order. Exceptions thrown by the action are relayed to the caller.

Subsequent behavior of a spliterator is unspecified if the action throws an exception.

Implementation Requirements:

The default implementation repeatedly invokes `tryAdvance(T_CONS)` until it returns `false`. It should be overridden whenever possible.

Parameters:

`action` - The action

Throws:

`NullPointerException` - if the specified action is null

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.