JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface Callable<V>

Type Parameters:

`V` - the result type of method `call`

All Known Subinterfaces:

`DocumentationTool.DocumentationTask`, `JavaCompiler.CompilationTask`

All Known Implementing Classes:

`JavacTask`

Functional Interface:

This is a functional interface and can therefore be used as the assignment target for a lambda expression or method reference.

```
@FunctionalInterface
public interface Callable<V>
```

A task that returns a result and may throw an exception. Implementors define a single method with no arguments called `call`.

The `Callable` interface is similar to `Runnable`, in that both are designed for classes whose instances are potentially executed by another thread. A `Runnable`, however, does not return a result and cannot throw a checked exception.

The `Executors` class contains utility methods to convert from other common forms to `Callable` classes.

Since:

1.5

See Also:

`Executor`

Method Summary

Modifier and Type	Method	Description
V	**call**()	Computes a result, or throws an exception if unable to do so.

Method Details

call

```
V call()
throws Exception
```

Computes a result, or throws an exception if unable to do so.

Returns:

computed result

Throws:

Exception - if unable to compute a result

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.