JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface Delayed

All Superinterfaces:

`Comparable<Delayed>`

All Known Subinterfaces:

`RunnableScheduledFuture<V>, ScheduledFuture<V>`

```
public interface Delayed
extends Comparable<Delayed>
```

A mix-in style interface for marking objects that should be acted upon after a given delay.

An implementation of this interface must define a `compareTo` method that provides an ordering consistent with its `getDelay` method.

Since:

1.5

Method Summary

All Methods	Instance Methods	

Modifier and Type	Method	Description
`long`	**`getDelay`**`(TimeUnit unit)`	Returns the remaining delay associated with this object, in the given time unit.

Methods declared in interface Comparable

`compareTo`

Method Details

getDelay

```
long getDelay(TimeUnit unit)
```

Returns the remaining delay associated with this object, in the given time unit.

Parameters:

`unit` - the time unit

Returns:

the remaining delay; zero or negative values indicate that the delay has already elapsed

---

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.