JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface ForkJoinPool.ForkJoinWorkerThreadFactory

Enclosing class:

ForkJoinPool

`public static interface` **`ForkJoinPool.ForkJoinWorkerThreadFactory`**

Factory for creating new ForkJoinWorkerThreads. A `ForkJoinWorkerThreadFactory` must be defined and used for `ForkJoinWorkerThread` subclasses that extend base functionality or initialize threads with different contexts.

Since:

1.7

Method Summary

All Methods	Instance Methods	

Modifier and Type	Method	Description
ForkJoinWorkerThread	**newThread**(ForkJoinPool pool)	Returns a new worker thread operating in the given pool.

Method Details

newThread

ForkJoinWorkerThread newThread(ForkJoinPool pool)

Returns a new worker thread operating in the given pool. Returning null or throwing an exception may result in tasks never being executed. If this method throws an exception, it is relayed to the caller of the method (for example `execute`) causing attempted thread creation. If this method returns null or throws an exception, it is not retried until the next attempted creation (for example another call to `execute`).

Parameters:

`pool` - the pool this thread works in

Returns:

the new worker thread, or `null` if the request to create a thread is rejected

Throws:

NullPointerException - if the pool is null

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.