JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface ScheduledFuture<V>

Type Parameters:

V - The result type returned by this Future

All Superinterfaces:

Comparable<Delayed>, Delayed, Future<V>

All Known Subinterfaces:

RunnableScheduledFuture<V>

```
public interface ScheduledFuture<V>
extends Delayed, Future<V>
```

A delayed result-bearing action that can be cancelled. Usually a scheduled future is the result of scheduling a task with a ScheduledExecutorService.

Since:

1.5

Nested Class Summary

Nested classes/interfaces declared in interface Future
Future.State

Method Summary

Methods declared in interface Comparable
compareTo

Methods declared in interface Delayed
getDelay

Methods declared in interface Future
cancel, exceptionNow, get, get, isCancelled, isDone, resultNow, state

---

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.

Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.