JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class AbstractOwnableSynchronizer

java.lang.Object
  java.util.concurrent.locks.AbstractOwnableSynchronizer

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

AbstractQueuedLongSynchronizer, AbstractQueuedSynchronizer

```
public abstract class AbstractOwnableSynchronizer
extends Object
implements Serializable
```

A synchronizer that may be exclusively owned by a thread. This class provides a basis for creating locks and related synchronizers that may entail a notion of ownership. The `AbstractOwnableSynchronizer` class itself does not manage or use this information. However, subclasses and tools may use appropriately maintained values to help control and monitor access and provide diagnostics.

Since:

1.6

See Also:

Serialized Form

Constructor Summary

Constructors

Modifier	Constructor	Description
protected	AbstractOwnableSynchroni	Empty constructor for use by subclasses.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
protected final Thread	getExclusiveOwnerThread(	Returns the thread last set by `setExclusiveOwnerThread`, or `null` if never set.

protected final void	**setExclusiveOwnerThread**(Thread thread)	Sets the thread that currently owns exclusive access.

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Details

AbstractOwnableSynchronizer

```
protected AbstractOwnableSynchronizer()
```

Empty constructor for use by subclasses.

Method Details

setExclusiveOwnerThread

```
protected final void setExclusiveOwnerThread(Thread thread)
```

Sets the thread that currently owns exclusive access. A `null` argument indicates that no thread owns access. This method does not otherwise impose any synchronization or `volatile` field accesses.

Parameters:

`thread` - the owner thread

getExclusiveOwnerThread

```
protected final Thread getExclusiveOwnerThread()
```

Returns the thread last set by `setExclusiveOwnerThread`, or `null` if never set. This method does not otherwise impose any synchronization or `volatile` field accesses.

Returns:

the owner thread

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.

Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.