JavaScript is disabled on your browser.

**Java SE 27 & JDK 27**

# Interface ObjDoubleConsumer<T>

**Type Parameters:**

T - the type of the object argument to the operation

**Functional Interface:**

This is a functional interface and can therefore be used as the assignment target for a lambda expression or method reference.

---

```
@FunctionalInterface
public interface ObjDoubleConsumer<T>
```

Represents an operation that accepts an object-valued and a `double`-valued argument, and returns no result. This is the `(reference, double)` specialization of `BiConsumer`. Unlike most other functional interfaces, `ObjDoubleConsumer` is expected to operate via side-effects.

This is a functional interface whose functional method is `accept(Object, double)`.

**Since:**

1.8

**See Also:**

`BiConsumer`

## *Method Summary*

| All Methods | Instance Methods | |
|---|---|---|

| Modifier and Type | Method | Description |
|---|---|---|
| `void` | `accept(T t, double value)` | Performs this operation on the given arguments. |

## *Method Details*

### accept

```
void accept(T t,
            double value)
```

Performs this operation on the given arguments.

**Parameters:**

`t` - the first input argument

`value` - the second input argument

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.