JavaScript is disabled on your browser.

**Java SE 27 & JDK 27**

# Interface ToLongBiFunction<T,U>

**Type Parameters:**

`T` - the type of the first argument to the function

`U` - the type of the second argument to the function

**Functional Interface:**

This is a functional interface and can therefore be used as the assignment target for a lambda expression or method reference.

---

```
@FunctionalInterface
public interface ToLongBiFunction<T,U>
```

Represents a function that accepts two arguments and produces a long-valued result. This is the `long`-producing primitive specialization for `BiFunction`.

This is a functional interface whose functional method is `applyAsLong(Object, Object)`.

**Since:**

1.8

**See Also:**

`BiFunction`

## *Method Summary*

| All Methods | Instance Methods | |
|---|---|---|

| Modifier and Type | Method | Description |
|---|---|---|
| `long` | **`applyAsLong`**`(T t, U u)` | Applies this function to the given arguments. |

## *Method Details*

### applyAsLong

```
long applyAsLong(T t,
                 U u)
```

Applies this function to the given arguments.

**Parameters:**

`t` - the first function argument

`u` - the second function argument

**Returns:**

the function result

---

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.