JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class JarOutputStream

java.lang.Object
  java.io.OutputStream
    java.io.FilterOutputStream
      java.util.zip.DeflaterOutputStream
        java.util.zip.ZipOutputStream
          java.util.jar.JarOutputStream

All Implemented Interfaces:

`Closeable`, `Flushable`, `AutoCloseable`

```
public class JarOutputStream
extends ZipOutputStream
```

The `JarOutputStream` class is used to write the contents of a JAR file to any output stream. It extends the class `java.util.zip.ZipOutputStream` with support for writing an optional `Manifest` entry. The `Manifest` can be used to specify meta-information about the JAR file and its entries.

Unless otherwise noted, passing a `null` argument to a constructor or method in this class will cause a `NullPointerException` to be thrown.

Since:

1.2

See Also:

`Manifest`, `ZipOutputStream`

Field Summary

Fields

Modifier and Type	Field	Description
`static final int`	**`CENATT`**	Central directory (CEN) header internal file attributes field offset.
`static final int`	**`CENATX`**	Central directory (CEN) header external file attributes field offset.
`static final int`	**`CENCOM`**	Central directory (CEN) header comment length field offset.
`static final int`	**`CENCRC`**	Central directory (CEN) header uncompressed

		file crc-32 value field offset.
static final int	**CENDSK**	Central directory (CEN) header disk number start field offset.
static final int	**CENEXT**	Central directory (CEN) header extra field length field offset.
static final int	**CENFLG**	Central directory (CEN) header encrypt, decrypt flags field offset.
static final int	**CENHDR**	Central directory (CEN) header size in bytes (including signature).
static final int	**CENHOW**	Central directory (CEN) header compression method field offset.
static final int	**CENLEN**	Central directory (CEN) header uncompressed size field offset.
static final int	**CENNAM**	Central directory (CEN) header filename length field offset.
static final int	**CENOFF**	Central directory (CEN) header LOC header offset field offset.
static final long	**CENSIG**	Central directory (CEN) header signature.
static final int	**CENSIZ**	Central directory (CEN) header compressed size field offset.
static final int	**CENTIM**	Central directory (CEN) header modification time field offset.

static final int	**CENVEM**	Central directory (CEN) header version made by field offset.
static final int	**CENVER**	Central directory (CEN) header version needed to extract field offset.
static final int	**ENDCOM**	End of central directory (END) header ZIP file comment length field offset.
static final int	**ENDHDR**	End of central directory (END) header size in bytes (including signature).
static final int	**ENDOFF**	End of central directory (END) header offset for the first CEN header field offset.
static final long	**ENDSIG**	End of central directory (END) header signature.
static final int	**ENDSIZ**	End of central directory (END) header central directory size in bytes field offset.
static final int	**ENDSUB**	End of central directory (END) header number of entries on this disk field offset.
static final int	**ENDTOT**	End of central directory (END) header total number of entries field offset.
static final int	**EXTCRC**	Extra local (EXT) header uncompressed file crc-32 value field offset.
static final int	**EXTHDR**	

		Extra local (EXT) header size in bytes (including signature).
static final int	**EXTLEN**	Extra local (EXT) header uncompressed size field offset.
static final long	**EXTSIG**	Extra local (EXT) header signature.
static final int	**EXTSIZ**	Extra local (EXT) header compressed size field offset.
static final int	**LOCCRC**	Local file (LOC) header uncompressed file crc-32 value field offset.
static final int	**LOCEXT**	Local file (LOC) header extra field length field offset.
static final int	**LOCFLG**	Local file (LOC) header general purpose bit flag field offset.
static final int	**LOCHDR**	Local file (LOC) header size in bytes (including signature).
static final int	**LOCHOW**	Local file (LOC) header compression method field offset.
static final int	**LOCLEN**	Local file (LOC) header uncompressed size field offset.
static final int	**LOCNAM**	Local file (LOC) header filename length field offset.
static final long	**LOCSIG**	Local file (LOC) header signature.
static final int	**LOCSIZ**	

		Local file (LOC) header compressed size field offset.
static final int	LOCTIM	Local file (LOC) header modification time field offset.
static final int	LOCVER	Local file (LOC) header version needed to extract field offset.

Fields declared in class ZipOutputStream

DEFLATED, STORED

Fields declared in class DeflaterOutputStream

buf, def

Fields declared in class FilterOutputStream

out

Constructor Summary

Constructors

Constructor	Description
JarOutputStream(OutputStream out)	Creates a new JarOutputStream with no manifest.
JarOutputStream(OutputStream out, Manifest man)	Creates a new JarOutputStream with the specified Manifest.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
void	putNextEntry(ZipEntry ze)	Begins writing a new JAR file entry and positions the stream to

	the start of the entry data.

Methods declared in class ZipOutputStream

`close`, `closeEntry`, `finish`, `setComment`, `setLevel`, `setMethod`, `write`

Methods declared in class DeflaterOutputStream

`deflate`, `flush`, `write`

Methods declared in class FilterOutputStream

`write`

Methods declared in class OutputStream

`nullOutputStream`

Methods declared in class Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Field Details

LOCSIG

```
static final long LOCSIG
```

Local file (LOC) header signature.

See Also:

Constant Field Values

EXTSIG

```
static final long EXTSIG
```

Extra local (EXT) header signature.

See Also:

Constant Field Values

CENSIG

`static final long CENSIG`

Central directory (CEN) header signature.

See Also:

Constant Field Values

ENDSIG

`static final long ENDSIG`

End of central directory (END) header signature.

See Also:

Constant Field Values

LOCHDR

`static final int LOCHDR`

Local file (LOC) header size in bytes (including signature).

See Also:

Constant Field Values

EXTHDR

`static final int EXTHDR`

Extra local (EXT) header size in bytes (including signature).

See Also:

Constant Field Values

CENHDR

`static final int CENHDR`

Central directory (CEN) header size in bytes (including signature).

See Also:

Constant Field Values

ENDHDR

```
static final int ENDHDR
```

End of central directory (END) header size in bytes (including signature).

See Also:

Constant Field Values

LOCVER

```
static final int LOCVER
```

Local file (LOC) header version needed to extract field offset.

See Also:

Constant Field Values

LOCFLG

```
static final int LOCFLG
```

Local file (LOC) header general purpose bit flag field offset.

See Also:

Constant Field Values

LOCHOW

```
static final int LOCHOW
```

Local file (LOC) header compression method field offset.

See Also:

Constant Field Values

LOCTIM

```
static final int LOCTIM
```

Local file (LOC) header modification time field offset.

See Also:

Constant Field Values

LOCCRC

```
static final int LOCCRC
```

Local file (LOC) header uncompressed file crc-32 value field offset.

See Also:

Constant Field Values

LOCSIZ

`static final int LOCSIZ`

Local file (LOC) header compressed size field offset.

See Also:

Constant Field Values

LOCLEN

`static final int LOCLEN`

Local file (LOC) header uncompressed size field offset.

See Also:

Constant Field Values

LOCNAM

`static final int LOCNAM`

Local file (LOC) header filename length field offset.

See Also:

Constant Field Values

LOCEXT

`static final int LOCEXT`

Local file (LOC) header extra field length field offset.

See Also:

Constant Field Values

EXTCRC

`static final int EXTCRC`

Extra local (EXT) header uncompressed file crc-32 value field offset.

See Also:

Constant Field Values

EXTSIZ

```
static final int EXTSIZ
```

Extra local (EXT) header compressed size field offset.

See Also:

Constant Field Values

EXTLEN

```
static final int EXTLEN
```

Extra local (EXT) header uncompressed size field offset.

See Also:

Constant Field Values

CENVEM

```
static final int CENVEM
```

Central directory (CEN) header version made by field offset.

See Also:

Constant Field Values

CENVER

```
static final int CENVER
```

Central directory (CEN) header version needed to extract field offset.

See Also:

Constant Field Values

CENFLG

```
static final int CENFLG
```

Central directory (CEN) header encrypt, decrypt flags field offset.

See Also:

Constant Field Values

CENHOW

```
static final int CENHOW
```

Central directory (CEN) header compression method field offset.

See Also:

Constant Field Values

CENTIM

`static final int CENTIM`

Central directory (CEN) header modification time field offset.

See Also:

Constant Field Values

CENCRC

`static final int CENCRC`

Central directory (CEN) header uncompressed file crc-32 value field offset.

See Also:

Constant Field Values

CENSIZ

`static final int CENSIZ`

Central directory (CEN) header compressed size field offset.

See Also:

Constant Field Values

CENLEN

`static final int CENLEN`

Central directory (CEN) header uncompressed size field offset.

See Also:

Constant Field Values

CENNAM

`static final int CENNAM`

Central directory (CEN) header filename length field offset.

See Also:

Constant Field Values

CENEXT

```
static final int CENEXT
```

Central directory (CEN) header extra field length field offset.

See Also:

Constant Field Values

CENCOM

```
static final int CENCOM
```

Central directory (CEN) header comment length field offset.

See Also:

Constant Field Values

CENDSK

```
static final int CENDSK
```

Central directory (CEN) header disk number start field offset.

See Also:

Constant Field Values

CENATT

```
static final int CENATT
```

Central directory (CEN) header internal file attributes field offset.

See Also:

Constant Field Values

CENATX

```
static final int CENATX
```

Central directory (CEN) header external file attributes field offset.

See Also:

Constant Field Values

CENOFF

```
static final int CENOFF
```

Central directory (CEN) header LOC header offset field offset.

See Also:

Constant Field Values

ENDSUB

`static final int ENDSUB`

End of central directory (END) header number of entries on this disk field offset.

See Also:

Constant Field Values

ENDTOT

`static final int ENDTOT`

End of central directory (END) header total number of entries field offset.

See Also:

Constant Field Values

ENDSIZ

`static final int ENDSIZ`

End of central directory (END) header central directory size in bytes field offset.

See Also:

Constant Field Values

ENDOFF

`static final int ENDOFF`

End of central directory (END) header offset for the first CEN header field offset.

See Also:

Constant Field Values

ENDCOM

`static final int ENDCOM`

End of central directory (END) header ZIP file comment length field offset.

See Also:

Constant Field Values

Constructor Details

JarOutputStream

```
public JarOutputStream(OutputStream out,
                       Manifest man)
                throws IOException
```

Creates a new `JarOutputStream` with the specified `Manifest`. The manifest is written as the first entry to the output stream.

Parameters:

`out` - the actual output stream

`man` - the optional `Manifest`

Throws:

`IOException` - if an I/O error has occurred

JarOutputStream

```
public JarOutputStream(OutputStream out)
                throws IOException
```

Creates a new `JarOutputStream` with no manifest.

Parameters:

`out` - the actual output stream

Throws:

`IOException` - if an I/O error has occurred

Method Details

putNextEntry

```
public void putNextEntry(ZipEntry ze)
                  throws IOException
```

Begins writing a new JAR file entry and positions the stream to the start of the entry data. This method will also close any previous entry.

The default compression method will be used if no compression method was specified for the entry. When writing a compressed (DEFLATED) entry, and the compressed size has not been explicitly set with the `ZipEntry.setCompressedSize(long)` method, then the compressed size will be set to the actual compressed size after deflation.

The current time will be used if the entry has no set modification time.

Overrides:

`putNextEntry` in class `ZipOutputStream`

Parameters:

ze - the ZIP/JAR entry to be written

Throws:

`ZipException` - if a ZIP error has occurred

`IOException` - if an I/O error has occurred

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.