JavaScript is disabled on your browser.

**Java SE 27 & JDK 27**

# Class ConsoleHandler

java.lang.Object
    java.util.logging.Handler
        java.util.logging.StreamHandler
            java.util.logging.ConsoleHandler

---

```
public class ConsoleHandler
extends StreamHandler
```

This `Handler` publishes log records to `System.err`. By default the `SimpleFormatter` is used to generate brief summaries.

**Configuration:** By default each `ConsoleHandler` is initialized using the following `LogManager` configuration properties where `<handler-name>` refers to the fully-qualified class name of the handler. If properties are not defined (or have invalid values) then the specified default values are used.

- <handler-name>.level specifies the default level for the `Handler` (defaults to `Level.INFO`).
- <handler-name>.filter specifies the name of a `Filter` class to use (defaults to no `Filter`).
- <handler-name>.formatter specifies the name of a `Formatter` class to use (defaults to `java.util.logging.SimpleFormatter`).
- <handler-name>.encoding the name of the character set encoding to use (defaults to the default platform encoding).

For example, the properties for `ConsoleHandler` would be:

- java.util.logging.ConsoleHandler.level=INFO
- java.util.logging.ConsoleHandler.formatter=java.util.logging.SimpleFormatter

For a custom handler, e.g. com.foo.MyHandler, the properties would be:

- com.foo.MyHandler.level=INFO
- com.foo.MyHandler.formatter=java.util.logging.SimpleFormatter

**Since:**

1.4

## *Constructor Summary*

**Constructors**

| Constructor | Description |
|---|---|
| `ConsoleHandler()` | Create a `ConsoleHandler` for `System.err`. |

## Method Summary

| All Methods | Instance Methods | |
|---|---|---|

| Modifier and Type | Method | Description |
|---|---|---|
| void | close() | Override StreamHandler.close to do a flush but not to close the output stream. |
| void | publish (LogRecord record) | Publish a LogRecord. |

**Methods declared in class StreamHandler**

flush, isLoggable, setEncoding, setOutputStream

**Methods declared in class Handler**

getEncoding, getErrorManager, getFilter, getFormatter, getLevel, reportError, setErrorManager, setFilter, setFormatter, setLevel

**Methods declared in class Object**

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

## Constructor Details

### ConsoleHandler

```
public ConsoleHandler()
```

Create a ConsoleHandler for System.err.

The ConsoleHandler is configured based on LogManager properties (or their default values).

## Method Details

### publish

```
public void publish(LogRecord record)
```

Publish a LogRecord.

The logging request was made initially to a `Logger` object, which initialized the `LogRecord` and forwarded it here.

**Overrides:**

`publish` in class `StreamHandler`

**Implementation Requirements:**

This
method is not synchronized, and subclasses must not define overridden `publish()` methods to be `synchronized` if they call `super.publish()` or format user arguments. See the discussion in java.util.logging.Handler for more information.

**Parameters:**

`record` - description of the log event. A null record is silently ignored and is not published

## close

```
public void close()
```

Override `StreamHandler.close` to do a flush but not to close the output stream. That is, we do **not** close `System.err`.

**Overrides:**

`close` in class `StreamHandler`

---

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.