JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class InvalidPreferencesFormatException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.util.prefs.InvalidPreferencesFormatException

All Implemented Interfaces:

Serializable

```
public class InvalidPreferencesFormatException
extends Exception
```

Thrown to indicate that an operation could not complete because the input did not conform to the appropriate XML document type for a collection of preferences, as per the `Preferences` specification.

Since:

1.4

See Also:

`Preferences`, Serialized Form

Constructor Summary

Constructors

Constructor	Description
`InvalidPreferencesFormatException``(String message)`	Constructs an InvalidPreferencesFormatException with the specified detail message.
`InvalidPreferencesFormatException``(String message, Throwable cause)`	Constructs an InvalidPreferencesFormatException with the specified detail message and cause.
`InvalidPreferencesFormatException``(Throwable cause)`	Constructs an InvalidPreferencesFormatException with the specified cause.

Method Summary

Methods declared in class Throwable

`addSuppressed`, `fillInStackTrace`, `getCause`, `getLocalizedMessage`, `getMessage`, `getStackTrace`, `getSuppressed`, `initCause`,

printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

InvalidPreferencesFormatException

```
public InvalidPreferencesFormatException(Throwable cause)
```

Constructs an InvalidPreferencesFormatException with the specified cause.

Parameters:

cause - the cause (which is saved for later retrieval by the Throwable.getCause() method).

InvalidPreferencesFormatException

```
public InvalidPreferencesFormatException(String message)
```

Constructs an InvalidPreferencesFormatException with the specified detail message.

Parameters:

message - the detail message. The detail message is saved for later retrieval by the Throwable.getMessage() method.

InvalidPreferencesFormatException

```
public InvalidPreferencesFormatException(String message,
                                         Throwable cause)
```

Constructs an InvalidPreferencesFormatException with the specified detail message and cause.

Parameters:

message - the detail message. The detail message is saved for later retrieval by the Throwable.getMessage() method.

cause - the cause (which is saved for later retrieval by the Throwable.getCause() method).

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.