JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Class NodeChangeEvent

java.lang.Object
    java.util.EventObject
        java.util.prefs.NodeChangeEvent

All Implemented Interfaces:

Serializable

```
public class NodeChangeEvent
extends EventObject
```

An event emitted by a `Preferences` node to indicate that a child of that node has been added or removed.

Note, that although NodeChangeEvent inherits Serializable interface from java.util.EventObject, it is not intended to be Serializable. Appropriate serialization methods are implemented to throw NotSerializableException.

Since:

1.4

See Also:

`Preferences`, `NodeChangeListener`, `PreferenceChangeEvent`

Field Summary

Fields declared in class EventObject
`source`

Constructor Summary

Constructors

Constructor	Description
`NodeChangeEvent``(Preferences parent, Preferences child)`	Constructs a new `NodeChangeEvent` instance.

Method Summary

All Methods | **Instance Methods**

Modifier and Type	Method	Description
`Preferences`	**`getChild`**`()`	

		Returns the node that was added or removed.
Preferences	**getParent**()	Returns the parent of the node that was added or removed.

Methods declared in class EventObject

getSource, toString

Methods declared in class Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Details

NodeChangeEvent

```
public NodeChangeEvent(Preferences parent,
                       Preferences child)
```

Constructs a new NodeChangeEvent instance.

Parameters:

parent - The parent of the node that was added or removed.

child - The node that was added or removed.

Method Details

getParent

```
public Preferences getParent()
```

Returns the parent of the node that was added or removed.

Returns:

The parent Preferences node whose child was added or removed

getChild

```
public Preferences getChild()
```

Returns the node that was added or removed.

Returns:

The node that was added or removed.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.
Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.
Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.
All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.