JavaScript is disabled on your browser.

Java SE 27 & JDK 27

Interface PreferenceChangeListener

All Superinterfaces:

EventListener

Functional Interface:

This is a functional interface and can therefore be used as the assignment target for a lambda expression or method reference.

```
@FunctionalInterface
public interface PreferenceChangeListener
extends EventListener
```

A listener for receiving preference change events.

Since:

1.4

See Also:

Preferences, PreferenceChangeEvent, NodeChangeListener

Method Summary

All Methods	Instance Methods	

Modifier and Type	Method	Description
void	preferenceChange (PreferenceChangeEvent e	This method gets called when a preference is added, removed or when its value is changed.

Method Details

preferenceChange

```
void preferenceChange(PreferenceChangeEvent evt)
```

This method gets called when a preference is added, removed or when its value is changed.

Parameters:

evt - A PreferenceChangeEvent object describing the event source and the preference that has changed.

Report a bug or suggest an enhancement
For further API reference and developer documentation see the Java SE Documentation, which

contains more detailed, developer-targeted descriptions with conceptual overviews, definitions of terms, workarounds, and working code examples. Other versions.

Java is a trademark or registered trademark of Oracle and/or its affiliates in the US and other countries.

Copyright © 1993, 2026, Oracle and/or its affiliates, 500 Oracle Parkway, Redwood Shores, CA 94065 USA.

All rights reserved. Use is subject to license terms and the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.