JavaScript is disabled on your browser.

compact1, compact2, compact3

java.io

Class FileWriter

java.lang.Object
  java.io.Writer
    java.io.OutputStreamWriter
      java.io.FileWriter

All Implemented Interfaces:

Closeable, Flushable, Appendable, AutoCloseable

```
public class FileWriter
extends OutputStreamWriter
```

Convenience class for writing character files. The constructors of this class assume that the default character encoding and the default byte-buffer size are acceptable. To specify these values yourself, construct an OutputStreamWriter on a FileOutputStream.

Whether or not a file is available or may be created depends upon the underlying platform. Some platforms, in particular, allow a file to be opened for writing by only one `FileWriter` (or other file-writing object) at a time. In such situations the constructors in this class will fail if the file involved is already open.

`FileWriter` is meant for writing streams of characters. For writing streams of raw bytes, consider using a `FileOutputStream`.

Since:

JDK1.1

See Also:

OutputStreamWriter, FileOutputStream

Field Summary

Fields inherited from class java.io.Writer

lock

Constructor Summary

Constructors

Constructor	Description
`FileWriter(File file)`	Constructs a FileWriter object given a File object.
`FileWriter(File file, boolean append)`	Constructs a FileWriter object given a File object.
`FileWriter(FileDescriptor fd)`	Constructs a FileWriter object associated with a file descriptor.
`FileWriter(String fileName)`	Constructs a FileWriter object given a file name.
`FileWriter(String fileName, boolean append)`	Constructs a FileWriter object given a file name with a boolean indicating whether or not to append the data written.

Method Summary

Methods inherited from class java.io.OutputStreamWriter

close, flush, getEncoding, write, write, write

Methods inherited from class java.io.Writer

append, append, append, write, write

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Constructor Detail

FileWriter

```
public FileWriter(String fileName)
           throws IOException
```

Constructs a FileWriter object given a file name.

Parameters:

fileName - String The system-dependent filename.

Throws:

IOException - if the named file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

FileWriter

```
public FileWriter(String fileName,
                  boolean append)
           throws IOException
```

Constructs a FileWriter object given a file name with a boolean indicating whether or not to append the data written.

Parameters:

fileName - String The system-dependent filename.

append - boolean if true, then data will be written to the end of the file rather than the beginning.

Throws:

IOException - if the named file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason

FileWriter

```
public FileWriter(File file)
           throws IOException
```

Constructs a FileWriter object given a File object.

Parameters:

`file - a File object to write to.`

Throws:

`IOException - if the file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason`

FileWriter

```
public FileWriter(File file,
                  boolean append)
           throws IOException
```

Constructs a FileWriter object given a File object. If the second argument is `true`, then bytes will be written to the end of the file rather than the beginning.

Parameters:

`file - a File object to write to`

`append - if true, then bytes will be written to the end of the file rather than the beginning`

Throws:

`IOException - if the file exists but is a directory rather than a regular file, does not exist but cannot be created, or cannot be opened for any other reason`

Since:

`1.4`

FileWriter

```
public FileWriter(FileDescriptor fd)
```

Constructs a FileWriter object associated with a file descriptor.

Parameters:

`fd - FileDescriptor object to write to.`

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.