JavaScript is disabled on your browser.

compact1, compact2, compact3

java.io

Class InterruptedIOException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.io.IOException
        java.io.InterruptedIOException

All Implemented Interfaces:

Serializable

Direct Known Subclasses:

SocketTimeoutException

```
public class InterruptedIOException
extends IOException
```

Signals that an I/O operation has been interrupted. An `InterruptedIOException` is thrown to indicate that an input or output transfer has been terminated because the thread performing it was interrupted. The field `bytesTransferred` indicates how many bytes were successfully transferred before the interruption occurred.

Since:

`JDK1.0`

See Also:

`InputStream`, `OutputStream`, `Thread.interrupt()`, `Serialized Form`

Field Summary

Fields

Modifier and Type	Field	Description

int	**bytesTransferred**	Reports how many bytes had been transferred as part of the I/O operation before it was interrupted.

Constructor Summary

Constructors

Constructor	Description
InterruptedIOException()	Constructs an InterruptedIOException with null as its error detail message.
InterruptedIOException(**String** s)	Constructs an InterruptedIOException with the specified detail message.

Method Summary

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Field Detail

bytesTransferred

```
public int bytesTransferred
```

Reports how many bytes had been transferred as part of the I/O operation before it was interrupted.

Constructor Detail

InterruptedIOException

```
public InterruptedIOException()
```

Constructs an `InterruptedIOException` with `null` as its error detail message.

InterruptedIOException

```
public InterruptedIOException(String s)
```

Constructs an `InterruptedIOException` with the specified detail message. The string `s` can be retrieved later by the `Throwable.getMessage()` method of class `java.lang.Throwable`.

Parameters:

`s - the detail message.`

Submit a bug or feature

For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.

Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.