JavaScript is disabled on your browser.

compact1, compact2, compact3

java.io

Class InvalidObjectException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.io.IOException
        java.io.ObjectStreamException
          java.io.InvalidObjectException

All Implemented Interfaces:

Serializable

```
public class InvalidObjectException
extends ObjectStreamException
```

Indicates that one or more deserialized objects failed validation tests. The argument should provide the reason for the failure.

Since:

JDK1.1, JDK1.1

See Also:

ObjectInputValidation, Serialized Form

Constructor Summary

Constructors

Constructor	Description
`InvalidObjectException(String reason)`	Constructs an InvalidObjectException.

Method Summary

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Detail

InvalidObjectException

```
public InvalidObjectException(String reason)
```

Constructs an InvalidObjectException.

Parameters:

reason - Detailed message explaining the reason for the failure.

See Also:

ObjectInputValidation

Submit a bug or feature

For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.

Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.