JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang

Class BootstrapMethodError

java.lang.Object
  java.lang.Throwable
    java.lang.Error
      java.lang.LinkageError
        java.lang.BootstrapMethodError

All Implemented Interfaces:

Serializable

```
public class BootstrapMethodError
extends LinkageError
```

Thrown to indicate that an `invokedynamic` instruction has failed to find its bootstrap method, or the bootstrap method has failed to provide a call site with a target of the correct method type.

Since:

1.7

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`BootstrapMethodError()`	Constructs a `BootstrapMethodError` with no detail message.

BootstrapMethodError(**String** s)	Constructs a BootstrapMethodError with the specified detail message.
BootstrapMethodError(**String** s, **Throwable** cause)	Constructs a BootstrapMethodError with the specified detail message and cause.
BootstrapMethodError(**Throwable** cause)	Constructs a BootstrapMethodError with the specified cause.

Method Summary

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Detail

BootstrapMethodError

```
public BootstrapMethodError()
```

Constructs a BootstrapMethodError with no detail message.

BootstrapMethodError

```
public BootstrapMethodError(String s)
```

Constructs a BootstrapMethodError with the specified detail message.

Parameters:

`s - the detail message.`

BootstrapMethodError

```
public BootstrapMethodError(String s,
                            Throwable cause)
```

Constructs a `BootstrapMethodError` with the specified detail message and cause.

Parameters:

`s - the detail message.`

`cause - the cause, may be null.`

BootstrapMethodError

```
public BootstrapMethodError(Throwable cause)
```

Constructs a `BootstrapMethodError` with the specified cause.

Parameters:

`cause - the cause, may be null.`

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.