JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang

Enum Character.UnicodeScript

java.lang.Object
    java.lang.Enum<Character.UnicodeScript>
        java.lang.Character.UnicodeScript

All Implemented Interfaces:

`Serializable`, `Comparable<Character.UnicodeScript>`

Enclosing class:

`Character`

```
public static enum Character.UnicodeScript
extends Enum<Character.UnicodeScript>
```

A family of character subsets representing the character scripts defined in the *Unicode Standard Annex #24: Script Names*. Every Unicode character is assigned to a single Unicode script, either a specific script, such as `Latin`, or one of the following three special values, `Inherited`, `Common` or `Unknown`.

Since:

1.7

Enum Constant Summary

Enum Constants

Enum Constant	Description
ARABIC	Unicode script "Arabic".
ARMENIAN	Unicode script "Armenian".
AVESTAN	Unicode script "Avestan".
BALINESE	

	Unicode script "Balinese".
BAMUM	Unicode script "Bamum".
BATAK	Unicode script "Batak".
BENGALI	Unicode script "Bengali".
BOPOMOFO	Unicode script "Bopomofo".
BRAHMI	Unicode script "Brahmi".
BRAILLE	Unicode script "Braille".
BUGINESE	Unicode script "Buginese".
BUHID	Unicode script "Buhid".
CANADIAN_ABORIGINAL	Unicode script "Canadian_Aboriginal".
CARIAN	Unicode script "Carian".
CHAKMA	Unicode script "Chakma".
CHAM	Unicode script "Cham".
CHEROKEE	Unicode script "Cherokee".
COMMON	Unicode script "Common".
COPTIC	Unicode script "Coptic".
CUNEIFORM	Unicode script "Cuneiform".
CYPRIOT	Unicode script "Cypriot".
CYRILLIC	Unicode script "Cyrillic".
DESERET	Unicode script "Deseret".
DEVANAGARI	Unicode script "Devanagari".
EGYPTIAN_HIEROGLYPHS	Unicode script "Egyptian_Hieroglyphs".
ETHIOPIC	Unicode script "Ethiopic".
GEORGIAN	Unicode script "Georgian".
GLAGOLITIC	Unicode script "Glagolitic".
GOTHIC	Unicode script "Gothic".

GREEK	Unicode script "Greek".
GUJARATI	Unicode script "Gujarati".
GURMUKHI	Unicode script "Gurmukhi".
HAN	Unicode script "Han".
HANGUL	Unicode script "Hangul".
HANUNOO	Unicode script "Hanunoo".
HEBREW	Unicode script "Hebrew".
HIRAGANA	Unicode script "Hiragana".
IMPERIAL_ARAMAIC	Unicode script "Imperial_Aramaic".
INHERITED	Unicode script "Inherited".
INSCRIPTIONAL_PAHLAVI	Unicode script "Inscriptional_Pahlavi".
INSCRIPTIONAL_PARTHIAN	Unicode script "Inscriptional_Parthian".
JAVANESE	Unicode script "Javanese".
KAITHI	Unicode script "Kaithi".
KANNADA	Unicode script "Kannada".
KATAKANA	Unicode script "Katakana".
KAYAH_LI	Unicode script "Kayah_Li".
KHAROSHTHI	Unicode script "Kharoshthi".
KHMER	Unicode script "Khmer".
LAO	Unicode script "Lao".
LATIN	Unicode script "Latin".
LEPCHA	Unicode script "Lepcha".
LIMBU	Unicode script "Limbu".
LINEAR_B	Unicode script "Linear_B".
LISU	Unicode script "Lisu".
LYCIAN	

	Unicode script "Lycian".
LYDIAN	Unicode script "Lydian".
MALAYALAM	Unicode script "Malayalam".
MANDAIC	Unicode script "Mandaic".
MEETEI_MAYEK	Unicode script "Meetei_Mayek".
MEROITIC_CURSIVE	Unicode script "Meroitic Cursive".
MEROITIC_HIEROGLYPHS	Unicode script "Meroitic Hieroglyphs".
MIAO	Unicode script "Miao".
MONGOLIAN	Unicode script "Mongolian".
MYANMAR	Unicode script "Myanmar".
NEW_TAI_LUE	Unicode script "New_Tai_Lue".
NKO	Unicode script "Nko".
OGHAM	Unicode script "Ogham".
OL_CHIKI	Unicode script "Ol_Chiki".
OLD_ITALIC	Unicode script "Old_Italic".
OLD_PERSIAN	Unicode script "Old_Persian".
OLD_SOUTH_ARABIAN	Unicode script "Old_South_Arabian".
OLD_TURKIC	Unicode script "Old_Turkic".
ORIYA	Unicode script "Oriya".
OSMANYA	Unicode script "Osmanya".
PHAGS_PA	Unicode script "Phags_Pa".
PHOENICIAN	Unicode script "Phoenician".
REJANG	Unicode script "Rejang".
RUNIC	Unicode script "Runic".
SAMARITAN	Unicode script "Samaritan".
SAURASHTRA	Unicode script "Saurashtra".

SHARADA	Unicode script "Sharada".
SHAVIAN	Unicode script "Shavian".
SINHALA	Unicode script "Sinhala".
SORA_SOMPENG	Unicode script "Sora Sompeng".
SUNDANESE	Unicode script "Sundanese".
SYLOTI_NAGRI	Unicode script "Syloti_Nagri".
SYRIAC	Unicode script "Syriac".
TAGALOG	Unicode script "Tagalog".
TAGBANWA	Unicode script "Tagbanwa".
TAI_LE	Unicode script "Tai_Le".
TAI_THAM	Unicode script "Tai_Tham".
TAI_VIET	Unicode script "Tai_Viet".
TAKRI	Unicode script "Takri".
TAMIL	Unicode script "Tamil".
TELUGU	Unicode script "Telugu".
THAANA	Unicode script "Thaana".
THAI	Unicode script "Thai".
TIBETAN	Unicode script "Tibetan".
TIFINAGH	Unicode script "Tifinagh".
UGARITIC	Unicode script "Ugaritic".
UNKNOWN	Unicode script "Unknown".
VAI	Unicode script "Vai".
YI	Unicode script "Yi".

Method Summary

Concrete Methods

Modifier and Type	Method	Description
static Character.UnicodeScript	forName(String scriptName)	Returns the UnicodeScript constant with the given Unicode script name or the script name alias.
static Character.UnicodeScript	of(int codePoint)	Returns the enum constant representing the Unicode script of which the given character (Unicode code point) is assigned to.
static Character.UnicodeScript	valueOf(String name)	Returns the enum constant of this type with the specified name.
static Character.UnicodeScript[]	values()	Returns an array containing the constants of this enum type, in the order they are declared.

Methods inherited from class java.lang.Enum

clone, compareTo, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Detail

COMMON

public static final Character.UnicodeScript COMMON

Unicode script "Common".

LATIN

public static final Character.UnicodeScript LATIN

Unicode script "Latin".

GREEK

public static final Character.UnicodeScript GREEK

Unicode script "Greek".

CYRILLIC

public static final Character.UnicodeScript CYRILLIC

Unicode script "Cyrillic".

ARMENIAN

public static final Character.UnicodeScript ARMENIAN

Unicode script "Armenian".

HEBREW

public static final Character.UnicodeScript HEBREW

Unicode script "Hebrew".

ARABIC

```
public static final Character.UnicodeScript ARABIC
```

Unicode script "Arabic".

SYRIAC

```
public static final Character.UnicodeScript SYRIAC
```

Unicode script "Syriac".

THAANA

```
public static final Character.UnicodeScript THAANA
```

Unicode script "Thaana".

DEVANAGARI

```
public static final Character.UnicodeScript DEVANAGARI
```

Unicode script "Devanagari".

BENGALI

```
public static final Character.UnicodeScript BENGALI
```

Unicode script "Bengali".

GURMUKHI

```
public static final Character.UnicodeScript GURMUKHI
```

Unicode script "Gurmukhi".

GUJARATI

```
public static final Character.UnicodeScript GUJARATI
```

Unicode script "Gujarati".

ORIYA

```
public static final Character.UnicodeScript ORIYA
```

Unicode script "Oriya".

TAMIL

```
public static final Character.UnicodeScript TAMIL
```

Unicode script "Tamil".

TELUGU

```
public static final Character.UnicodeScript TELUGU
```

Unicode script "Telugu".

KANNADA

```
public static final Character.UnicodeScript KANNADA
```

Unicode script "Kannada".

MALAYALAM

```
public static final Character.UnicodeScript MALAYALAM
```

Unicode script "Malayalam".

SINHALA

```
public static final Character.UnicodeScript SINHALA
```

Unicode script "Sinhala".

THAI

```
public static final Character.UnicodeScript THAI
```

Unicode script "Thai".

LAO

```
public static final Character.UnicodeScript LAO
```

Unicode script "Lao".

TIBETAN

```
public static final Character.UnicodeScript TIBETAN
```

Unicode script "Tibetan".

MYANMAR

```
public static final Character.UnicodeScript MYANMAR
```

Unicode script "Myanmar".

GEORGIAN

```
public static final Character.UnicodeScript GEORGIAN
```

Unicode script "Georgian".

HANGUL

```
public static final Character.UnicodeScript HANGUL
```

Unicode script "Hangul".

ETHIOPIC

```
public static final Character.UnicodeScript ETHIOPIC
```

Unicode script "Ethiopic".

CHEROKEE

```
public static final Character.UnicodeScript CHEROKEE
```

Unicode script "Cherokee".

CANADIAN_ABORIGINAL

```
public static final Character.UnicodeScript CANADIAN_ABORIGINAL
```

Unicode script "Canadian_Aboriginal".

OGHAM

```
public static final Character.UnicodeScript OGHAM
```

Unicode script "Ogham".

RUNIC

```
public static final Character.UnicodeScript RUNIC
```

Unicode script "Runic".

KHMER

```
public static final Character.UnicodeScript KHMER
```

Unicode script "Khmer".

MONGOLIAN

```
public static final Character.UnicodeScript MONGOLIAN
```

Unicode script "Mongolian".

HIRAGANA

```
public static final Character.UnicodeScript HIRAGANA
```

Unicode script "Hiragana".

KATAKANA

```
public static final Character.UnicodeScript KATAKANA
```

Unicode script "Katakana".

BOPOMOFO

```
public static final Character.UnicodeScript BOPOMOFO
```

Unicode script "Bopomofo".

HAN

```
public static final Character.UnicodeScript HAN
```

Unicode script "Han".

YI

```
public static final Character.UnicodeScript YI
```

Unicode script "Yi".

OLD_ITALIC

```
public static final Character.UnicodeScript OLD_ITALIC
```

Unicode script "Old_Italic".

GOTHIC

```
public static final Character.UnicodeScript GOTHIC
```

Unicode script "Gothic".

DESERET

```
public static final Character.UnicodeScript DESERET
```

Unicode script "Deseret".

INHERITED

```
public static final Character.UnicodeScript INHERITED
```

Unicode script "Inherited".

TAGALOG

```
public static final Character.UnicodeScript TAGALOG
```

Unicode script "Tagalog".

HANUNOO

```
public static final Character.UnicodeScript HANUNOO
```

Unicode script "Hanunoo".

BUHID

```
public static final Character.UnicodeScript BUHID
```

Unicode script "Buhid".

TAGBANWA

```
public static final Character.UnicodeScript TAGBANWA
```

Unicode script "Tagbanwa".

LIMBU

```
public static final Character.UnicodeScript LIMBU
```

Unicode script "Limbu".

TAI_LE

```
public static final Character.UnicodeScript TAI_LE
```

Unicode script "Tai_Le".

LINEAR_B

```
public static final Character.UnicodeScript LINEAR_B
```

Unicode script "Linear_B".

UGARITIC

```
public static final Character.UnicodeScript UGARITIC
```

Unicode script "Ugaritic".

SHAVIAN

```
public static final Character.UnicodeScript SHAVIAN
```

Unicode script "Shavian".

OSMANYA

```
public static final Character.UnicodeScript OSMANYA
```

Unicode script "Osmanya".

CYPRIOT

```
public static final Character.UnicodeScript CYPRIOT
```

Unicode script "Cypriot".

BRAILLE

```
public static final Character.UnicodeScript BRAILLE
```

Unicode script "Braille".

BUGINESE

```
public static final Character.UnicodeScript BUGINESE
```

Unicode script "Buginese".

COPTIC

```
public static final Character.UnicodeScript COPTIC
```

Unicode script "Coptic".

NEW_TAI_LUE

```
public static final Character.UnicodeScript NEW_TAI_LUE
```

Unicode script "New_Tai_Lue".

GLAGOLITIC

```
public static final Character.UnicodeScript GLAGOLITIC
```

Unicode script "Glagolitic".

TIFINAGH

```
public static final Character.UnicodeScript TIFINAGH
```

Unicode script "Tifinagh".

SYLOTI_NAGRI

```
public static final Character.UnicodeScript SYLOTI_NAGRI
```

Unicode script "Syloti_Nagri".

OLD_PERSIAN

```
public static final Character.UnicodeScript OLD_PERSIAN
```

Unicode script "Old_Persian".

KHAROSHTHI

```
public static final Character.UnicodeScript KHAROSHTHI
```

Unicode script "Kharoshthi".

BALINESE

```
public static final Character.UnicodeScript BALINESE
```

Unicode script "Balinese".

CUNEIFORM

```
public static final Character.UnicodeScript CUNEIFORM
```

Unicode script "Cuneiform".

PHOENICIAN

```
public static final Character.UnicodeScript PHOENICIAN
```

Unicode script "Phoenician".

PHAGS_PA

```
public static final Character.UnicodeScript PHAGS_PA
```

Unicode script "Phags_Pa".

NKO

```
public static final Character.UnicodeScript NKO
```

Unicode script "Nko".

SUNDANESE

```
public static final Character.UnicodeScript SUNDANESE
```

Unicode script "Sundanese".

BATAK

```
public static final Character.UnicodeScript BATAK
```

Unicode script "Batak".

LEPCHA

```
public static final Character.UnicodeScript LEPCHA
```

Unicode script "Lepcha".

OL_CHIKI

```
public static final Character.UnicodeScript OL_CHIKI
```

Unicode script "Ol_Chiki".

VAI

```
public static final Character.UnicodeScript VAI
```

Unicode script "Vai".

SAURASHTRA

```
public static final Character.UnicodeScript SAURASHTRA
```

Unicode script "Saurashtra".

KAYAH_LI

```
public static final Character.UnicodeScript KAYAH_LI
```

Unicode script "Kayah_Li".

REJANG

```
public static final Character.UnicodeScript REJANG
```

Unicode script "Rejang".

LYCIAN

```
public static final Character.UnicodeScript LYCIAN
```

Unicode script "Lycian".

CARIAN

```
public static final Character.UnicodeScript CARIAN
```

Unicode script "Carian".

LYDIAN

```
public static final Character.UnicodeScript LYDIAN
```

Unicode script "Lydian".

CHAM

```
public static final Character.UnicodeScript CHAM
```

Unicode script "Cham".

TAI_THAM

```
public static final Character.UnicodeScript TAI_THAM
```

Unicode script "Tai_Tham".

TAI_VIET

```
public static final Character.UnicodeScript TAI_VIET
```

Unicode script "Tai_Viet".

AVESTAN

```
public static final Character.UnicodeScript AVESTAN
```

Unicode script "Avestan".

EGYPTIAN_HIEROGLYPHS

```
public static final Character.UnicodeScript EGYPTIAN_HIEROGLYPHS
```

Unicode script "Egyptian_Hieroglyphs".

SAMARITAN

```
public static final Character.UnicodeScript SAMARITAN
```

Unicode script "Samaritan".

MANDAIC

```
public static final Character.UnicodeScript MANDAIC
```

Unicode script "Mandaic".

LISU

```
public static final Character.UnicodeScript LISU
```

Unicode script "Lisu".

BAMUM

```
public static final Character.UnicodeScript BAMUM
```

Unicode script "Bamum".

JAVANESE

```
public static final Character.UnicodeScript JAVANESE
```

Unicode script "Javanese".

MEETEI_MAYEK

```
public static final Character.UnicodeScript MEETEI_MAYEK
```

Unicode script "Meetei_Mayek".

IMPERIAL_ARAMAIC

```
public static final Character.UnicodeScript IMPERIAL_ARAMAIC
```

Unicode script "Imperial_Aramaic".

OLD_SOUTH_ARABIAN

```
public static final Character.UnicodeScript OLD_SOUTH_ARABIAN
```

Unicode script "Old_South_Arabian".

INSCRIPTIONAL_PARTHIAN

```
public static final Character.UnicodeScript INSCRIPTIONAL_PARTHIAN
```

Unicode script "Inscriptional_Parthian".

INSCRIPTIONAL_PAHLAVI

```
public static final Character.UnicodeScript INSCRIPTIONAL_PAHLAVI
```

Unicode script "Inscriptional_Pahlavi".

OLD_TURKIC

```
public static final Character.UnicodeScript OLD_TURKIC
```

Unicode script "Old_Turkic".

BRAHMI

```
public static final Character.UnicodeScript BRAHMI
```

Unicode script "Brahmi".

KAITHI

```
public static final Character.UnicodeScript KAITHI
```

Unicode script "Kaithi".

MEROITIC_HIEROGLYPHS

```
public static final Character.UnicodeScript MEROITIC_HIEROGLYPHS
```

Unicode script "Meroitic Hieroglyphs".

MEROITIC_CURSIVE

```
public static final Character.UnicodeScript MEROITIC_CURSIVE
```

Unicode script "Meroitic Cursive".

SORA_SOMPENG

```
public static final Character.UnicodeScript SORA_SOMPENG
```

Unicode script "Sora Sompeng".

CHAKMA

```
public static final Character.UnicodeScript CHAKMA
```

Unicode script "Chakma".

SHARADA

```
public static final Character.UnicodeScript SHARADA
```

Unicode script "Sharada".

TAKRI

```
public static final Character.UnicodeScript TAKRI
```

Unicode script "Takri".

MIAO

```
public static final Character.UnicodeScript MIAO
```

Unicode script "Miao".

UNKNOWN

```
public static final Character.UnicodeScript UNKNOWN
```

Unicode script "Unknown".

Method Detail

values

```
public static Character.UnicodeScript[] values()
```

Returns an array containing the constants of this enum type, in the order they are declared. This method may be used to iterate over the constants as follows:

```
for (Character.UnicodeScript c : Character.UnicodeScript.values())
    System.out.println(c);
```

Returns:

an array containing the constants of this enum type, in the order they are declared

valueOf

```
public static Character.UnicodeScript valueOf(String name)
```

Returns the enum constant of this type with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this type. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

IllegalArgumentException - if this enum type has no constant with the specified name

NullPointerException - if the argument is null

of

```
public static Character.UnicodeScript of(int codePoint)
```

Returns the enum constant representing the Unicode script of which the given character (Unicode code point) is assigned to.

Parameters:

codePoint - the character (Unicode code point) in question.

Returns:

The UnicodeScript constant representing the Unicode script of which this character is assigned to.

Throws:

IllegalArgumentException - if the specified codePoint is an invalid Unicode code point.

See Also:

Character.isValidCodePoint(int)

forName

```
public static final Character.UnicodeScript forName(String scriptName)
```

Returns the UnicodeScript constant with the given Unicode script name or the script name alias. Script names and their aliases are determined by The Unicode Standard. The files Scripts<version>.txt and PropertyValueAliases<version>.txt define script names and the script name aliases for a particular version of the standard. The `Character` class specifies the version of the standard that it supports.

Character case is ignored for all of the valid script names. The en_US locale's case mapping rules are used to provide case-insensitive string comparisons for script name validation.

Parameters:

`scriptName - A UnicodeScript name.`

Returns:

`The UnicodeScript constant identified by scriptName`

Throws:

`IllegalArgumentException - if scriptName is an invalid name`

`NullPointerException - if scriptName is null`

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.