JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang

Enum ProcessBuilder.Redirect.Type

java.lang.Object
  java.lang.Enum<ProcessBuilder.Redirect.Type>
    java.lang.ProcessBuilder.Redirect.Type

All Implemented Interfaces:

Serializable, Comparable<ProcessBuilder.Redirect.Type>

Enclosing class:

ProcessBuilder.Redirect

```
public static enum ProcessBuilder.Redirect.Type
extends Enum<ProcessBuilder.Redirect.Type>
```

The type of a ProcessBuilder.Redirect.

Enum Constant Summary

Enum Constants

Enum Constant	Description
APPEND	The type of redirects returned from **Redirect.appendTo(File)**.
INHERIT	The type of **Redirect.INHERIT**.
PIPE	The type of **Redirect.PIPE**.
READ	The type of redirects returned from **Redirect.from(File)**.

WRITE	The type of redirects returned from **Redirect.to(File)**.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
static **ProcessBuilder.Redirect.Type**	**valueOf**(**String** name)	Returns the enum constant of this type with the specified name.
static **ProcessBuilder.Redirect.Type**[]	**values**()	Returns an array containing the constants of this enum type, in the order they are declared.

Methods inherited from class java.lang.Enum

clone, compareTo, equals, finalize, getDeclaringClass, hashCode, name, ordinal, toString, valueOf

Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Detail

PIPE

```
public static final ProcessBuilder.Redirect.Type PIPE
```

The type of `Redirect.PIPE`.

INHERIT

```
public static final ProcessBuilder.Redirect.Type INHERIT
```

The type of `Redirect.INHERIT`.

READ

```
public static final ProcessBuilder.Redirect.Type READ
```

The type of redirects returned from `Redirect.from(File)`.

WRITE

```
public static final ProcessBuilder.Redirect.Type WRITE
```

The type of redirects returned from `Redirect.to(File)`.

APPEND

```
public static final ProcessBuilder.Redirect.Type APPEND
```

The type of redirects returned from `Redirect.appendTo(File)`.

Method Detail

values

```
public static ProcessBuilder.Redirect.Type[] values()
```

Returns an array containing the constants of this enum type, in the order they are declared. This method may be used to iterate over the constants as follows:

```
for (ProcessBuilder.Redirect.Type c : ProcessBuilder.Redirect.Type.values())
    System.out.println(c);
```

Returns:

an array containing the constants of this enum type, in the order they are declared

valueOf

```
public static ProcessBuilder.Redirect.Type valueOf(String name)
```

Returns the enum constant of this type with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this type. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

IllegalArgumentException - if this enum type has no constant with the specified name

NullPointerException - if the argument is null

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.