JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang

Class UnknownError

java.lang.Object
  java.lang.Throwable
    java.lang.Error
      java.lang.VirtualMachineError
        java.lang.UnknownError

All Implemented Interfaces:

Serializable

```
public class UnknownError
extends VirtualMachineError
```

Thrown when an unknown but serious exception has occurred in the Java Virtual Machine.

Since:

JDK1.0

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor	Description
`UnknownError()`	Constructs an `UnknownError` with no detail message.

`UnknownError(String s)`	Constructs an `UnknownError` with the specified detail message.

Method Summary

Methods inherited from class java.lang.Throwable

`addSuppressed`, `fillInStackTrace`, `getCause`, `getLocalizedMessage`, `getMessage`, `getStackTrace`, `getSuppressed`, `initCause`, `printStackTrace`, `printStackTrace`, `printStackTrace`, `setStackTrace`, `toString`

Methods inherited from class java.lang.Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Detail

UnknownError

```
public UnknownError()
```

Constructs an `UnknownError` with no detail message.

UnknownError

```
public UnknownError(String s)
```

Constructs an `UnknownError` with the specified detail message.

Parameters:

```
s - the detail message.
```


Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.