JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang.annotation

Class AnnotationTypeMismatchException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.annotation.AnnotationTypeMismatchException

All Implemented Interfaces:

Serializable

```
public class AnnotationTypeMismatchException
extends RuntimeException
```

Thrown to indicate that a program has attempted to access an element of an annotation whose type has changed after the annotation was compiled (or serialized). This exception can be thrown by the API used to read annotations reflectively.

Since:

1.5

See Also:

AnnotatedElement, Serialized Form

Constructor Summary

Constructors

Constructor	Description
`AnnotationTypeMismatchException(Method element, String foundType)`	Constructs an AnnotationTypeI

for the specified element and fou

Method Summary

		Concrete Methods
Modifier and Type	**Method**	**Description**
`Method`	`element()`	Returns the `Method` object for the incorrectly typed element.
`String`	`foundType()`	Returns the type of data found in the incorrectly typed element.

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Detail

AnnotationTypeMismatchException

```
public AnnotationTypeMismatchException(Method element,
                                       String foundType)
```

Constructs an AnnotationTypeMismatchException for the specified annotation type element and found data type.

Parameters:

`element` - the Method object for the annotation element

`foundType` - the (erroneous) type of data found in the annotation. This string may, but is not required to, contain the value as well. The exact format of the string is unspecified.

Method Detail

element

```
public Method element()
```

Returns the `Method` object for the incorrectly typed element.

Returns:

`the Method object for the incorrectly typed element`

foundType

```
public String foundType()
```

Returns the type of data found in the incorrectly typed element. The returned string may, but is not required to, contain the value as well. The exact format of the string is unspecified.

Returns:

`the type of data found in the incorrectly typed element`

Submit a bug or feature

For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.

Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.