JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang.invoke

Class LambdaConversionException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.invoke.LambdaConversionException

All Implemented Interfaces:

Serializable

```
public class LambdaConversionException
extends Exception
```

LambdaConversionException

See Also:

Serialized Form

Constructor Summary

Constructors

Constructor
`LambdaConversionException()`
`LambdaConversionException(String message)`

```
LambdaConversionException(String message, Throwable cause)
```

```
LambdaConversionException(String message, Throwable cause, boolean enableSuppress
```

```
LambdaConversionException(Throwable cause)
```

Method Summary

Methods inherited from class java.lang.Throwable

addSuppressed, fillInStackTrace, getCause, getLocalizedMessage, getMessage, getStackTrace, getSuppressed, initCause, printStackTrace, printStackTrace, printStackTrace, setStackTrace, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Constructor Detail

LambdaConversionException

```
public LambdaConversionException()
```

Constructs a LambdaConversionException.

LambdaConversionException

```
public LambdaConversionException(String message)
```

Constructs a LambdaConversionException with a message.

Parameters:

message - the detail message

LambdaConversionException

```
public LambdaConversionException(String message,
                                 Throwable cause)
```

Constructs a `LambdaConversionException` with a message and cause.

Parameters:

`message` - the detail message

`cause` - the cause

LambdaConversionException

```
public LambdaConversionException(Throwable cause)
```

Constructs a `LambdaConversionException` with a cause.

Parameters:

`cause` - the cause

LambdaConversionException

```
public LambdaConversionException(String message,
                                 Throwable cause,
                                 boolean enableSuppression,
                                 boolean writableStackTrace)
```

Constructs a `LambdaConversionException` with a message, cause, and other settings.

Parameters:

`message` - the detail message

`cause` - the cause

`enableSuppression` - whether or not suppressed exceptions are enabled

```
writableStackTrace - whether or not the stack trace is writable
```


Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.