JavaScript is disabled on your browser.

compact3

java.lang.management

Class MemoryNotificationInfo

java.lang.Object
    java.lang.management.MemoryNotificationInfo

```
public class MemoryNotificationInfo
extends Object
```

The information about a memory notification.

A memory notification is emitted by `MemoryMXBean` when the Java virtual machine detects that the memory usage of a memory pool is exceeding a threshold value. The notification emitted will contain the memory notification information about the detected condition:

- The name of the memory pool.
- The memory usage of the memory pool when the notification was constructed.
- The number of times that the memory usage has crossed a threshold when the notification was constructed. For usage threshold notifications, this count will be the `usage threshold count`. For collection threshold notifications, this count will be the `collection usage threshold count`.

A `CompositeData` representing the `MemoryNotificationInfo` object is stored in the `user data` of a `notification`. The `from` method is provided to convert from a `CompositeData` to a `MemoryNotificationInfo` object. For example:

```
Notification notif;

// receive the notification emitted by MemoryMXBean and set to notif
...

String notifType = notif.getType();
if (notifType.equals(MemoryNotificationInfo.MEMORY_THRESHOLD_EXCEEDED) |
```

```
            notifType.equals(MemoryNotificationInfo.MEMORY_COLLECTION_THRESHOLD_
            // retrieve the memory notification information
            CompositeData cd = (CompositeData) notif.getUserData();
            MemoryNotificationInfo info = MemoryNotificationInfo.from(cd);
            ....
        }
```

The types of notifications emitted by `MemoryMXBean` are:

- A `usage threshold exceeded notification`.
  This notification will be emitted when the memory usage of a memory pool is increased and has reached or exceeded its usage threshold value.
  Subsequent crossing of the usage threshold value does not cause further notification until the memory usage has returned to become less than the usage threshold value.

- A `collection usage threshold exceeded notification`.
  This notification will be emitted when the memory usage of a memory pool is greater than or equal to its collection usage threshold after the Java virtual machine has expended effort in recycling unused objects in that memory pool.

Since:

1.5

Field Summary

Fields

Modifier and Type	Field	Description
static String	MEMORY_COLLECTION_THRESHOLD_EXCEEDED	Notification type denoting that the memory usage of a memory pool is greater than or equal to its **collection usage threshold** after the Java virtual machine

		has expended effort in recycling unused objects in that memory pool.
static String	MEMORY_THRESHOLD_EXCEEDED	Notification type denoting that the memory usage of a memory pool has reached or exceeded its **usage threshold** value.

Constructor Summary

Constructors

Constructor	Descriptio
MemoryNotificationInfo(String poolName, MemoryUsage usage, long count)	Constructs MemoryNot object.

Method Summary

Concrete Methods

Modifier and Type	Method	Description
static MemoryNotificationInfo	from(CompositeData cd)	Returns a MemoryNotificationInfo object represented by the given CompositeData.
long	getCount()	

		Returns the number of times that the memory usage has crossed a threshold when the notification was constructed.
`String`	`getPoolName()`	Returns the name of the memory pool that triggers this notification.
`MemoryUsage`	`getUsage()`	Returns the memory usage of the memory pool when this notification was constructed.

Methods inherited from class java.lang.Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `toString`, `wait`, `wait`, `wait`

Field Detail

MEMORY_THRESHOLD_EXCEEDED

```
public static final String MEMORY_THRESHOLD_EXCEEDED
```

Notification type denoting that the memory usage of a memory pool has reached or exceeded its usage threshold value. This notification is emitted by `MemoryMXBean`. Subsequent crossing of the usage threshold value does not cause further notification until the memory usage has returned to become less than the usage threshold value. The value of this notification type is `java.management.memory.threshold.exceeded`.

See Also:

Constant Field Values

MEMORY_COLLECTION_THRESHOLD_EXCEEDED

```
public static final String MEMORY_COLLECTION_THRESHOLD_EXCEEDED
```

Notification type denoting that the memory usage of a memory pool is greater than or equal to its collection usage threshold after the Java virtual machine has expended effort in recycling unused objects in that memory pool. This notification is emitted by `MemoryMXBean`. The value of this

notification type is
`java.management.memory.collection.threshold.exceeded`.

See Also:

Constant Field Values

Constructor Detail

MemoryNotificationInfo

```
public MemoryNotificationInfo(String poolName,
                              MemoryUsage usage,
                              long count)
```

Constructs a `MemoryNotificationInfo` object.

Parameters:

`poolName` - The name of the memory pool which triggers this notification.

`usage` - Memory usage of the memory pool.

`count` - The threshold crossing count.

Method Detail

getPoolName

```
public String getPoolName()
```

Returns the name of the memory pool that triggers this notification. The memory pool usage has crossed a threshold.

Returns:

the name of the memory pool that triggers this notification.

getUsage

```
public MemoryUsage getUsage()
```

Returns the memory usage of the memory pool when this notification was constructed.

Returns:

the memory usage of the memory pool when this notification was constructed.

getCount

```
public long getCount()
```

Returns the number of times that the memory usage has crossed a threshold when the notification was constructed. For usage threshold notifications, this count will be the `threshold count`. For collection threshold notifications, this count will be the `collection usage threshold count`.

Returns:

the number of times that the memory usage has crossed a threshold when the notification was constructed.

from

```
public static MemoryNotificationInfo from(CompositeData cd)
```

Returns a `MemoryNotificationInfo` object represented by the given `CompositeData`. The given `CompositeData` must contain the following attributes:

Attribute Name	Type
poolName	`java.lang.String`
usage	`javax.management.openmbean.CompositeData`
count	`java.lang.Long`

Parameters:

`cd` - CompositeData representing a MemoryNotificationInfo

Returns:

a MemoryNotificationInfo object represented by cd if cd is not null; null otherwise.

Throws:

`IllegalArgumentException` - if cd does not represent a `MemoryNotificationInfo` object.

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.