JavaScript is disabled on your browser.

compact3

java.lang.management

Enum MemoryType

java.lang.Object
    java.lang.Enum<MemoryType>
        java.lang.management.MemoryType

All Implemented Interfaces:

Serializable, Comparable<MemoryType>

```
public enum MemoryType
extends Enum<MemoryType>
```

Types of memory pools.

Since:

1.5

Enum Constant Summary

Enum Constants

Enum Constant	Description
HEAP	Heap memory type.
NON_HEAP	Non-heap memory type.

Method Summary

Instance Methods | **Concrete Methods**

Modifier and Type	Method	Description

String	toString()	Returns the string representation of this MemoryType.
static MemoryType	valueOf(String name)	Returns the enum constant of this type with the specified name.
static MemoryType[]	values()	Returns an array containing the constants of this enum type, in the order they are declared.

Methods inherited from class java.lang.Enum

clone, compareTo, equals, finalize, getDeclaringClass, hashCode, name, ordinal, valueOf

Methods inherited from class java.lang.Object

getClass, notify, notifyAll, wait, wait, wait

Enum Constant Detail

HEAP

```
public static final MemoryType HEAP
```

Heap memory type.

The Java virtual machine has a *heap* that is the runtime data area from which memory for all class instances and arrays are allocated.

NON_HEAP

```
public static final MemoryType NON_HEAP
```

Non-heap memory type.

The Java virtual machine manages memory other than the heap (referred as *non-heap memory*). The non-heap memory includes the *method area* and memory required for the internal processing or optimization for the Java virtual machine. It stores per-class structures such as a runtime constant pool, field and method data, and the code for methods and constructors.

Method Detail

values

```
public static MemoryType[] values()
```

Returns an array containing the constants of this enum type, in the order they are declared. This method may be used to iterate over the constants as follows:

```
for (MemoryType c : MemoryType.values())
    System.out.println(c);
```

Returns:

an array containing the constants of this enum type, in the order they are declared

valueOf

```
public static MemoryType valueOf(String name)
```

Returns the enum constant of this type with the specified name. The string must match *exactly* an identifier used to declare an enum constant in this type. (Extraneous whitespace characters are not permitted.)

Parameters:

name - the name of the enum constant to be returned.

Returns:

the enum constant with the specified name

Throws:

IllegalArgumentException - if this enum type has no constant with the specified name

NullPointerException - if the argument is null

toString

```
public String toString()
```

Returns the string representation of this MemoryType.

Overrides:

toString in class Enum<MemoryType>

Returns:

the string representation of this MemoryType.

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.