JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang.reflect

Interface AnnotatedWildcardType

All Superinterfaces:

AnnotatedElement, AnnotatedType

---

public interface **AnnotatedWildcardType**
extends AnnotatedType

AnnotatedWildcardType represents the potentially annotated use of a wildcard type argument, whose upper or lower bounds may themselves represent annotated uses of types.

Since:

1.8

Method Summary

Abstract Methods

Modifier and Type	Method	Description
AnnotatedType[]	getAnnotatedLowerBounds()	Returns the potentially annotated lower bounds of this wildcard type.
AnnotatedType[]	getAnnotatedUpperBounds()	Returns the potentially annotated upper bounds of this wildcard type.

Methods inherited from interface java.lang.reflect.AnnotatedType

getType

Methods inherited from interface java.lang.reflect.AnnotatedElement

getAnnotation, getAnnotations, getAnnotationsByType, getDeclaredAnnotation, getDeclaredAnnotations, getDeclaredAnnotationsByType, isAnnotationPresent

Method Detail

getAnnotatedLowerBounds

```
AnnotatedType[] getAnnotatedLowerBounds()
```

Returns the potentially annotated lower bounds of this wildcard type.

Returns:

`the potentially annotated lower bounds of this wildcard type`

getAnnotatedUpperBounds

```
AnnotatedType[] getAnnotatedUpperBounds()
```

Returns the potentially annotated upper bounds of this wildcard type.

Returns:

```
the potentially annotated upper bounds of this wildcard type
```


Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms. Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.