JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang.reflect

Class MalformedParametersException

java.lang.Object
  java.lang.Throwable
    java.lang.Exception
      java.lang.RuntimeException
        java.lang.reflect.MalformedParametersException

All Implemented Interfaces:

Serializable

```
public class MalformedParametersException
extends RuntimeException
```

Thrown when the java.lang.reflect package attempts to read method parameters from a class file and determines that one or more parameters are malformed.

The following is a list of conditions under which this exception can be thrown:

- The number of parameters (parameter_count) is wrong for the method
- A constant pool index is out of bounds.
- A constant pool index does not refer to a UTF-8 entry
- A parameter's name is "", or contains an illegal character
- The flags field contains an illegal flag (something other than FINAL, SYNTHETIC, or MANDATED)

See Executable.getParameters() for more information.

Since:

1.8

See Also:

Executable.getParameters(), Serialized Form

Constructor Summary

Constructors

Constructor	Description
`MalformedParametersException()`	Create a `MalformedParametersException` with an empty reason.
`MalformedParametersException(String reason)`	Create a `MalformedParametersException`.

Method Summary

Methods inherited from class java.lang.Throwable

`addSuppressed`, `fillInStackTrace`, `getCause`, `getLocalizedMessage`, `getMessage`, `getStackTrace`, `getSuppressed`, `initCause`, `printStackTrace`, `printStackTrace`, `printStackTrace`, `setStackTrace`, `toString`

Methods inherited from class java.lang.Object

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`, `wait`, `wait`, `wait`

Constructor Detail

MalformedParametersException

```
public MalformedParametersException()
```

Create a `MalformedParametersException` with an empty reason.

MalformedParametersException

```
public MalformedParametersException(String reason)
```

Create a `MalformedParametersException`.

Parameters:

`reason` - The reason for the exception.

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.