JavaScript is disabled on your browser.

compact1, compact2, compact3

java.lang.reflect

Interface Member

All Known Implementing Classes:

Constructor, Executable, Field, Method

```
public interface Member
```

Member is an interface that reflects identifying information about a single member (a field or a method) or a constructor.

See Also:

Class, Field, Method, Constructor

Field Summary

Fields

Modifier and Type	Field	Description
static int	DECLARED	Identifies the set of declared members of a class or interface.
static int	PUBLIC	Identifies the set of all public members of a class or interface, including inherited members.

Method Summary

Abstract Methods

Modifier and Type	Method	Description
`Class<?>`	`getDeclaringClass()`	Returns the Class object representing the class or interface that declares the member or constructor represented by this Member.
`int`	`getModifiers()`	Returns the Java language modifiers for the member or constructor represented by this Member, as an integer.
`String`	`getName()`	Returns the simple name of the underlying member or constructor represented by this Member.
`boolean`	`isSynthetic()`	Returns `true` if this member was introduced by the compiler; returns `false` otherwise.

Field Detail

PUBLIC

```
static final int PUBLIC
```

Identifies the set of all public members of a class or interface, including inherited members.

See Also:

Constant Field Values

DECLARED

```
static final int DECLARED
```

Identifies the set of declared members of a class or interface. Inherited members are not included.

See Also:

Constant Field Values

Method Detail

getDeclaringClass

`Class<?> getDeclaringClass()`

Returns the Class object representing the class or interface that declares the member or constructor represented by this Member.

Returns:

an object representing the declaring class of the underlying member

getName

`String getName()`

Returns the simple name of the underlying member or constructor represented by this Member.

Returns:

the simple name of the underlying member

getModifiers

`int getModifiers()`

Returns the Java language modifiers for the member or constructor represented by this Member, as an integer. The Modifier class should be used to decode the modifiers in the integer.

Returns:

the Java language modifiers for the underlying member

See Also:

`Modifier`

isSynthetic

`boolean isSynthetic()`

Returns `true` if this member was introduced by the compiler; returns `false` otherwise.

Returns:

true if and only if this member was introduced by the compiler.

Since:

1.5

See *The Java™ Language Specification*:

13.1 The Form of a Binary

Submit a bug or feature
For further API reference and developer documentation, see Java SE Documentation. That documentation contains more detailed, developer-targeted descriptions, with conceptual overviews, definitions of terms, workarounds, and working code examples.
Copyright © 1993, 2026, Oracle and/or its affiliates. All rights reserved. Use is subject to license terms.
Also see the documentation redistribution policy.

Scripting on this page tracks web page traffic, but does not change the content in any way.